


LEHMANN

GERMAN CLEANING SYSTEMS

01 | 2024 - ENGL

TEL +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEHMANN-KG.COM

LEWI
PROFESSIONAL TOOLS



LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

QLEEN
PURE WATER CLEANING SYSTEMS



Table of contents

LEWI

Washers & T-bars	6-8
Squeegees & Rubber	9-12
Glass scrapers & Blades	13-15
Telescopic poles & Accessories.....	16-19
Water fed poles & Water brushes.....	20-21
Chamois leather.....	22
Cleaning sets	23
Accessories.....	24-25
Belts, Quivers & Holsters.....	26
Buckets & Waxers.....	27
Water squeegees & Mop handles.....	28-29
Cloths & Pad sponges.....	30-31

QLEEN

Purastart	36-37
Purastart E	38-39
DISY	40-41
PROFI	42-43
Q-Station	44-45
RO-Osmosis system.....	46-47
Segment poles & accessories.....	49
NoTwist Telescopic poles	50-51
ROTAQLEEN Classic	52-53
ROTAQLEEN Vario	54-55
Q-Power	56-57
ROTAQLEEN accessories.....	58-59
Lamella blind cleaners.....	60-61
Indoor systems	62-63
Brush bows & brushes.....	64-65
Mixed bed resin & bottles	66
Hoses and accessories.....	67
Accessories.....	68
Spare parts	69-71



LEWI
PROFESSIONAL TOOLS

www.lewi.de

Tried and tested professional quality for the glass and building cleaner.

For relaxed and safe working.

Under the LEWI product brand, the Lehmann KG has produced sophisticated quality tools for window cleaner for many years.

The proven LEWI philosophy:

Versatile and ergonomic components, perfect quality and optimum functionality – at an attractive price.

The reliable and versatile LEWI tools can easily be used in the hand or on telescope poles.

Thus, even hard-to-reach areas can be cleaned flawlessly and easily. The tried and tested LEWI fixation at the handle guarantees safe working at all times.

LEWI Bionic. High-quality tools.


- Ergonomic design
- Safe connection technology
- Versatile components
- Perfect, streak-free cleaning performance
- Safe and fatigueless working

LEWI wiper rubber. Top quality.

- Specially shaped and vulcanized
- Flawless wiping thanks to precisely manufactured edges.
- Extremely elastic – glides quickly and easily
- Durable and reliable in daily use
- For streak-free cleaning at any time of year



LEWI Telescopic poles. Perfect professional solutions.



Sleeve „Micro fibre“
High water absorption and strong cleaning power.



Sleeve „Blue star“
Fabric made of PES- & micro fibres. Perfect for large surfaces.




Sleeve „Power fibre“
Fabric made of high-quality fibres. Removes encrusted dirt easily.

Squeegee „Bionic Duo“
Window squeegee and washer in one professional system. Practical: wash with one side dry up with the other side.



Plastic T-bar "BIONIC"
Window washer T-bars are high quality and durable.



Squeegee „Bionic“
Complete with rubber an stainless steel channel.



Pipe brush "Bionic"
For cleaning walls and rough surfaces.



Surface scraper „Bionic“
Windows and surface scraper. Very stable. Perfect for telescopic pole use. With safety cap.



Water brush
Insensitive, durable version with R 1/4" thread.



Angle joint, aluminium
Perfect for cleaning hard to reach areas. Angle can be individually adjusted.




Garden tools
Quick and effective helpers. Safe, without ladder use.



Multifunctional holder
For safe painting from the ground. For fastening tools.



- Reliable locking technology with special cone and slide block
- More stable and secure than conventional systems
- No twisting of the pole tools remain firmly secured
- Individual adaptations and special sizes possible



Sleeve „White Star“




Fabric made of high-quality fibres, long-pile.
For fast cleaning of glass and surfaces. Good cleaning power. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric*

Length / cm	Art.No.	PU
15	10003	10
25	10004	10
35	10005	10
45	10006	10
55	10007	10

Sleeve „Blue Star“




Blended fabric made of PES & micro fibres, long-pile.
Perfect for large surfaces. High water and dirt absorption. Removes encrusted dirt easily. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric**

Length / cm	Art.No.	PU
15	10011	10
25	10012	10
35	10013	10
45	10014	10
55	10015	10

Sleeve „Pad Strip“



Blended fabric made of high-quality fibres, long-pile.
An additional pad area that removes incrustations and heavy dirt easily. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric***

Length / cm	Art.No.	PU
25	10018	10
35	10019	10
45	10020	10

Sleeve „Micro fibre“



Micro fibre sleeve.
High water absorption and strong cleaning power. Perfect for large surfaces. Easy to wash out at 60°.

With Velcro fastener
Material: mixed fabric***

Length / cm	Art.No.	PU
25	10021	10
35	10022	10
45	10023	10
55	10024	10

* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

***base material: 100% polyester; fibres: 100% polyester

Sleeve „Power fibre“



Fabric made of high-quality fibres, long-pile.

Perfect for large surfaces. Removes encrusted dirt easily. Easy to wash out at 60°.

With Velcro fastener

Material: mixed fabric***

Length / cm	Art.No.	PU
25	10025	10
35	10026	10
45	10027	10

Plastic T-bar „Bionic“



Efficient water chamber system for high water absorption.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use. With small water chambers.

Material: two-component plastic

Length / cm	Art.No.	PU
25	10029	10
35	10030	10
45	10031	10

T-bar „Bionic“



Ergonomically shaped, always provides safe grip.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: aluminium, two-component plastic

Length / cm	Art.No.	PU
15	10032	10
25	10033	10
35	10034	10
45	10035	10
55	10036	10

T-bar aluminium



Light and stable.

High-quality processing. Reliable during telescopic pole use.

Material: aluminium, plastic

Length / cm	Art.No.	PU
15	10037	10
25	10038	10
35	10039	10
45	10040	10
55	10041	10

T-bar „Bionic“, moveable



Flexible, handle can be individually adjusted by 45 degrees.

Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: aluminium, two-component plastic

Length / cm	Art.No.	PU
35	10042	10
45	10043	10

***base material: 100% polyester; fibres: 100% polyester

Complete set „White Star“

	Washer sleeve „White Star“ and aluminium T-bar. With Velcro fastener Material: T-bar: aluminium, plastic Sleeve: mixed fabric*	Length / cm	Art.No.	PU
		25	10044	10
		35	10045	10
		45	10046	10

Complete set „Blue Star“

	Washer sleeve „Blue Star“ and aluminium T-bar. With Velcro fastener Material: T-bar: aluminium, plastic Sleeve: mixed fabric**	Length / cm	Art.No.	PU
		25	10047	10
		35	10048	10
		45	10049	10


* base material: 100% polyester; fibres: 100% polyacrylic

** base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

The LEWI telescopic pole enables safe work without a ladder - directly from the ground

Our "BIONIC" T-bar lies well and safely in the hand





Squeegee „Bionic Duo“



Ergonomically shaped. Squeegee and washer with a professional system. Practical and quick - no need to change. Complete with stainless steel channel and washer sleeve „White Star“. Reliable during telescopic pole use.

Material: two-component plastic, stainless steel, high-quality woven fabric*

Rubber quality (hard) shore hardness 60

Length / cm	Art.No.	PU
25	10500	10
35	10501	10
45	10502	10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: two-component plastic, stainless steel

Rubber quality (hard) shore hardness 60

Length / cm	Art.No.	PU
15	10504	10
25	10505	10
35	10506	10
45	10507	10
55	10508	10

Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

Material: two-component plastic, stainless steel

Rubber quality (soft) shore hardness 53

Length / cm	Art.No.	PU
15	10509	10
25	10510	10
35	10511	10
45	10512	10
55	10513	10

* base material: 100% polyester; fibres: 100% polyacrylic

Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p>Material: soft overmoulded rubber, stainless steel</p> <p>Rubber quality (hard) Shore hardness 60</p>	Length / cm	Art.No.	PU
		15	10514	10
		25	10515	10
		35	10516	10
		45	10517	10
		55	10518	10

Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p>Material: soft overmoulded rubber, stainless steel</p> <p>Rubber quality (soft) Shore hardness 53</p>	Length / cm	Art.No.	PU
		15	10519	10
		25	10520	10
		35	10521	10
		45	10522	10
		55	10523	10



The "BIONIC" squeegees can be easily and safely attached

A „Fixed Connection“ for almost all LEWI products.



Squeegee handle „Bionic“



Ergonomically shaped, always provides safe grip.
Fast and easy channel exchange. Extremely reliable, even with telescopic pole use.
Material: two-component plastic, stainless steel

Art.No.	PU
10534	20

Squeegee handle



Easy handling. Soft grip design.
Proven in practice. Easy channel exchange. Always sits safely in the hand. Reliable during telescopic pole use.
Material: soft overmoulded rubber, stainless steel

Art.No.	PU
10535	20

Squeegee handle XXL



Easy handling. Soft grip design.
1 cm longer as the handle 10535.
Proven in practice. Easy channel exchange. Lies always safely in the hand. Reliable during telescopic pole use.
Material: soft overmoulded rubber stainless steel

Art.No.	PU
10536	15

Squeegee handle „Bionic“, moveable




Ergonomically shaped. Working angle adjustable by 180 degrees.
Proven in daily operation, stable design, very flexible.
Material: two-component plastic

Art.No.	PU
10537	10



V-channel




Professional stainless steel channel with V-cut out.
Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.

Material: stainless steel
Rubber quality (hard)
Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11000	25
25	11001	25
35	11002	25
45	11003	25
55	11004	25

V-channel



Professional stainless steel channel with V-cut out.
Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.

Material: stainless steel
Rubber quality (soft)
Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11005	25
25	11006	25
35	11007	25
45	11008	25
55	11009	25

Replacement rubber - HARD



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.

Rubber quality (hard)
Shore hardness 60 ± 2 *

Length / cm	Art.No.	PU
15	11010	10
25	11011	10
35	11013	10
45	11015	10
55	11016	10
92	11017	10
105	11018	10

Replacement rubber - SOFT



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.

Rubber quality (soft)
Shore hardness 53 ± 2 **

Length / cm	Art.No.	PU
15	11019	10
25	11020	10
35	11022	10
45	11024	10
55	11025	10
92	11026	10
105	11027	10

* Shore-Hardness 60 ± 2 - ideal for smooth surfaces and warmer outside temperatures

** Shore-Hardness 53 ± 2 - ideal for uneven surfaces and colder outside temperatures



Surface scraper „Bionic“



Ergonomic handle, large scraper surface.
Window and surface scraper. Very stable.
Perfect for telescopic pole use.
With safety cap.
(replacement blades Art. No. 11511)
Material: two-component plastic

blade / cm	Art.No.	PU
10	11500	10

Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily.
(replacement blades Art. No. 11512/11513)
Material: steel

blade / cm	Art.No.	PU
4	11501	20

Safety scraper



With 4 cm working surface.
Safety scraper with retractable blade.
Handy and very sturdy. Removes paint
residues and stickers easily.
(replacement blades Art. No. 11512/11513)
Material: steel
Rubberised handle

blade / cm	Art.No.	PU
4	11502	15

Safety scraper

NEW



Plastic safety scraper
incl. 10 replacement blades
Safety scraper with replaceable
plastic blades. Ideal for cleaning all
smooth surfaces such as windows, ceramic
hobs, etc. The practical aid for removing
stickers.
(replacement blades Art. No. 11523)
Material: plastic

blade / cm	Art.No.	PU
3,8	11522	10

Surface scraper



More power due to the 25 cm handle.
With safety cap for higher safety.
(replacement blades Art. No. 11511)
Material: plastic, aluminium

Length / cm	Art.No.		PU
25	11503		5

Surface scraper



With 120 cm handle for light works.
Allows comfortable working while standing. With safety cap for higher safety.
(replacement blades: Art. No. 11511)
Material: plastic, aluminium

Length / cm	Art.No.		PU
120	11504		10


Glass scraper



With 10 replacement blades in a case.
Stainless steel blade holder and 10 spare blades in a practical plastic box.
Material: stainless steel

blade / cm	Art.No.		PU
10	11505		10

Glass scraper



Blade holder 10 cm.
(replacement blades: Art. No. 11509/11510)
Material: stainless steel

blade / cm	Art.No.		PU
10	11506		25

Blades




Suitable for glass scraper
(Art. No. 11506)

25 items with dispenser

blade / cm	Art.No.		PU
10	11509		10


Blades		blade / cm	Art.No.	PU
	Suitable for glass scraper (Art. No. 11505/11506) In 350 item economy pack	10	11510	1

Blades		blade / cm	Art.No.	PU
	Suitable for window and floor scrapers (Art. No. 11500/11503) Package with 10 items in dispenser	10	11511	10

Blades		blade / cm	Art.No.	PU
	Suitable for safety scraper. (Art. No. 11501/11502) Package with 100 items	4	11512	1

Blades		blade / cm	Art.No.	PU
	Suitable for safety scraper. (Art. No. 11501/11502) 5 items in one box	4	11513	10

Blades		blade / cm	Art.No.	PU
	Plastic replacement blades Suitable for plastic safety scraper. (Art. No. 11522) 100 pieces in a carton	3,8	11523	1



Telescopic pole system two-section

	High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.	Length / cm	Art.No.	PU
	Material: aluminium, plastic With safety cone and clamp protection	120 (2x60)	12000	10
		250 (2x125)	12001	10
		300 (2x150)	12002	10
		400 (2x200)	12003	10
		500 (2x250)	12004	10

Telescopic pole system three-section

	High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.	Length / cm	Art.No.	PU
	Material: aluminium, plastic With safety cone and clamp protection	300 (3x100)	12006	10
		450 (3x150)	12007	10
		600 (3x200)	12008	10
		750 (3x250)	12009	4
		900 (3x300)	12010	4

Telescopic pole system four-section

	High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without a ladder, directly from the ground.	Length / cm	Art.No.	PU
	Material: aluminium, plastic With safety cone and clamp protection	400 (4x100)	12011	10
		600 (4x150)	12012	10
		800 (4x200)	12013	10
		1000 (4x250)	12014	4
		1200 (4x300)	12015	4

Orders of 10 assorted items (by UPS) or 4 assorted items (by forwarding agent) possible.

Single pole		Length / cm	Art.No.	PU
	High-quality processing and very stable. Aluminum pole 60 cm, 120 cm or 140 cm, with handle and cone. Material: aluminium, plastic	60	12017	10
		120	12018	10
		140	12153	10

Telescopic pole „Plus“		Length / cm	Art.No.	PU
	Two-section. With additional interior locking. High-quality processing and very stable. Material: aluminium, plastic	200 (2x100)	12019	10
		300 (2x150)	12020	10
		400 (2x200)	12021	10

Angle joint		Art.No.	PU
	For telescopic pole use. Light, freely adjustable joint. Perfect for working on areas that are hard to access. Material: aluminium, plastic	12022	1

Angle joint, aluminium		Art.No.	PU
	For telescopic pole use. Sturdy, perfect for cleaning hard-to-reach areas. Angle can be individually adjusted. Material: aluminium	12023	1

Cone for telescopic pole		Art.No.	PU
	Allows a quick tool exchange. For attaching or screwing tools on the telescopic pole. Ensures optimum hold. Material: plastic	12024	1

Special paint cone		Art.No.	PU
	Suitable for all commercial paint rollers. For safe painting from the ground. With M8 thread. Material: plastic, brass For inserting on telescopic pole	12029	1

Adapter for water brushes

	Fits with all commercial water brushes. With R 1/4" thread. Material: brass For inserting on telescopic poles	Art.No.	PU
		12031	1

Adapter for broom

	Fits with all commercial brooms. Durable brass thread. Material: brass For inserting on telescopic poles	Art.No.	PU
		12030	1

Pipe brush "Bionic"

	Ergonomic handle. For cleaning round surfaces and pipes. Perfect for telescopic pole use. Simply attach to the special cone. Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)	Art.No.	PU	
		soft (brown)	12025	1
		hard (blue)	12026	1

Wall brush "Bionic", oval shape

	Ergonomic handle. For cleaning walls and rough surfaces. Perfect for telescopic pole use. Simply attach to the special cone. Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)	Art.No.	PU	
		soft (brown)	12027	1
		hard (blue)	12028	1

Joint brush

	NEW Bristles hard. The V-shaped arrangement of the bristles makes it particularly good for cleaning joints. For screwing onto the LEWI cone of the telescopic and single poles (page 16-17) Material: plastic, synthetic bristles	Length / cm	Art.No.	PU
		25	14526	1

Feather duster "Profi"



For electrostatic dust removal.

For screwing onto the LEWI cone of the telescopic and single poles (page 16-17)

Material: plastic

Art.No.

12154

PU

1

Fixi brush



Cleaning brush made of special fibres. Cleans powerfully and reliably.

Material: wood, special fibre

For inserting on telescopic poles

Art.No.

12032

PU

1

Fixi clamp



Aluminium clamp for fastening tools. Fastens cloths and sponges safely.

Material: stainless steel

For inserting on telescopic poles


Art.No.

12033

PU

1

Branch cutting set



Pruning saw / pruning shears Professional quality. with pull cord. (Saw blade 30 cm long).

For inserting on telescopic poles

Art.No.

12035

PU

1

Gardening saw



Bent, with draw hook and branch rejector. Professional quality

For efficient tree care. Safe, without ladder use.

For inserting on telescopic poles

Art.No.

12036

PU

1

Apple picker



Sturdy and tearproof.

For a fast and safe harvest.

For inserting on telescopic poles

Art.No.

12037

PU

1



Water fed pole



With commercial hose connection and R 1/4" thread for water brushes.

Professional version. Very stable and durable. Light and safe to handle. Perfectly leak-proof and non-drip.

Material: aluminium, brass, plastic

Length / cm	Art.No.	PU
150	14500	10
200	14501	10

Water telescopic pole




With commercial hose connection and R 1/4" thread for water brushes. Proven professional quality. Allows quick and safe working without twisting. Perfectly leak-proof and non-drip.

Material: aluminium, brass thread, plastic, PE hose
With clip lock

Length / cm	Art.No.	PU
240 (2 x 120)	14502	5
400 (2 x 200)	14503	5
450 (3 x 1 50)	14543	5
600 (3 x 200)	14504	5
600 (4 x 150)	14519	5
800 (4 x 200)	14505	5
1000 (4 x 250)	14520	4
1200 (4 x 300)	14521	4

Order of 5 assorted items possible

Angle joint, aluminium



Sturdy joint with bushings for water hose. Angle can be adjusted individually.

Material: aluminium



(You can find the instructions for mounting here, just scan the QR code).

Length / cm	Art.No.	PU
25	14506	1

Water brush universal

	<p>Mixed hair. For sensitive surfaces like motor vehicles and glass. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, mixed bristles</p>	Length / cm	Art.No.	PU
		25	14507	1

Water brush universal


	<p>Synthetic bristles. For floors and terraces. Reliable, durable design. R 1/4" thread. Material: plastic, brass thread, synthetic bristles</p>	Length / cm	Art.No.	PU
		25	14508	1

Water brush „Solar“

	<p>Bristles super-soft. Perfect for cleaning sensitive surfaces like solar panel. R 1/4" thread. Material: plastic, brass thread, synthetic bristles (super soft)</p>	Length / cm	Art.No.	PU
		25	14513	1



Chamois leather „Media“



Quality with tiger stamp.
Chamois leather.
Tested and proven.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned**
French cut

Length / cm	Art.No.	PU
45 x 30 (150)	15000	10
48 x 33 (175)	15001	10
52 x 35 (200)	15002	10
55 x 37 (225)	15003	10
59 x 38 (250)	15004	10
62 x 40 (275)	15005	10
65 x 42 (300)	15006	10
68 x 43 (325)	15007	10
70 x 45 (350)	15008	10
72 x 47 (375)	15009	10

Chamois leather „Media“



Quality with tiger stamp.
Chamois leather.
Tested and proven.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned**
Full skin

Length / cm	Art.No.	PU
74 x 49 (400)	15010	10
77 x 54 (450)	15011	10
80 x 60 (500)	15012	10
82 x 63 (550)	15013	10
85 x 64 (600)	15014	10
86 x 69 (650)	15015	10

Chamois leather „Fina special“



Best quality with lion stamp.
The professional leather.
For highest demands.
100% natural product.
With operation instructions.

**Material: sheepskin,
100% fish oil tanned**
Full skin

Length / cm	Art.No.	PU
74 x 49 (400)	15016	10
77 x 54 (450)	15017	10
80 x 60 (500)	15018	10
82 x 63 (550)	15019	10
85 x 64 (600)	15020	10
86 x 69 (650)	15021	10

Packaging



Provided with header card/ hanger or packed individually in a poly bag for presentation in merchandise displays or shelves.

Provided with
hanger
1 pc in poly bag



Cleaning set „Solar & winter garden“

Complete basic equipment with stable nylon bag.
 Four-section telescopic pole,
 T-bar, sleeves „White Star“ & „Blue Star“,
 safety scraper, spare blades in package with 5 items,
 squeegee 35 cm with channel and rubber, replacement rubber,
 joint with adapter element, 2 joint extensions, bag.
 12- piece

Length / cm	Art.No.	PU
400 (4x100)	16501	1
600 (4x150)	16502	1
800 (4x200)	16503	1

Cleaning set „Glass“

Complete basic equipment with stable nylon bag.
 Three-section telescopic pole 3x100 cm,
 squeegee handle, channel of 25, 35, 45 cm each with rubber, replacement
 rubber 25, 35 cm soft,
 T-bar 35 cm, sleeves „White Star“ & „Blue Star“,
 safety scraper, spare blades 5 items package,
 joint for telescopic pole,
 Box: blade holder & 10 blades, bag.
 15- piece

Length / cm	Art.No.	PU
300 (3x100)	16506	1

LEWI window cleaning set



consist of:
 Bucket, 13 litres, T-bar aluminium 35cm,
 Blue Star Velcro 35 cm, Squeegee „Bionic“
 kmpl. 35 cm, replacement rubber 35 cm,
 Microfibre cloth 40x40 cm.

Art.No.	PU
16507	1

LEWI window cleaning set with extension pole



consist of:
 Bucket, 13 litres, T-bar aluminium 35cm,
 Blue Star Velcro 35 cm, Squeegee „Bionic“
 kmpl. 35 cm, replacement rubber 35 cm,
 Microfibre cloth 40x40 cm and with
 4 part. extension pole- 145 cm.

Art.No.	PU
16508	1

POWER LIQUID

Professional line



Power Gel



Window cleaning gel.
For perfect cleaning results.
The Power Gel is applied directly to the washer.

Quantity	Art.No.	PU
500 ml	12516	18

Power Liquid



Window cleaning fluid.
For best cleaning results.
Mix Power Liquid 1:100 with water.
High cleaning power.

Quantity	Art.No.	PU
1000 ml	12517	12

Gripper



Grabbing without bending.
For comfortable, safe and hygienic waste removal.

Material: plastic, aluminium

Length / cm	Art.No.	PU
40	12502	10
100	12503	10
150	12504	10
200	12505	10

Gripper, metal design



Grabbing without bending.
Very stable. For comfortable, safe and hygienic waste removal.
Rubber coating on the gripper arm for better grip.

Material: aluminium, stainless steel

Length / cm	Art.No.	PU
100	12515	10



Belt



Belt suitable for quiver.

Material: nylon
With click fastener

Art.No.	PU
13000	5

Quiver



For squeegees and washers.
Suitable for channels up to 45 cm.
Perfect for working on the ladder
or in narrow rooms.

Material: plastic
With Velcro fastener

Art.No.	PU
13003	5

Apron



With 3 large pockets.
Stable and very robust, Belt is size-
adjustable and can be easily removed.
Material: canvas, Nylon

Art.No.	PU
13004	1

blue




Bucket, 22 litres			Art.No.		PU
	Suitable for 45 cm washer and squeegee. Material: plastic With mounting hook	22 l	13500		6
		Lid	13501		1

Sieve			Art.No.		PU
	Suitable for 22 litre bucket. Material: stainless steel		13502		1


Castors			Art.No.		PU
	Suitable for 22 litre bucket. Material: stainless steel	4 pcs.	13503		1

Bucket, 13 litres			Art.No.		PU	
	Suitable for 35 cm washer and squeegee. Bucket for glass cleaning. Handy and light. Material: plastic With mounting hook	13 l	13504		1	

Waxer system complete		Length / cm	Art.No.		PU
	With 140 cm pole and sleeve. Waxes floors quickly and easily. Material: aluminium, plastic, mixed fabric*	140	13506		1

Replacement sleeve and holder		Length / cm	Art.No.		PU
	Replacement sleeve for waxing device. With Velcro	40	13505		10
	Replacement holder for waxing device with replacement sleeve. Sleeve with Velcro	40	13507		1
	Replacement holder for waxing device. Material: aluminum, plastic, mixed fabric*	40	13508		1

* base material: 100 % polyester; fibres: 100 % polyacrylic



Water squeegee



Version for lighter work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
45	14000	10
55	14001	10

Water squeegee re-inforced



Version for harder work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
45	14002	10
55	14003	10
75	14004	10

Water squeegee oil resistant



Re-inforced, oil resistant version for harder work.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14012)
Foam rubber
22 mm intake

Length / cm	Art.No.	PU
55	14005	10

Water squeegee



Version for the hygiene sector.
Dries floors streak-free, cleans joints.
(suitable for alu handle art. no. 14010)
Plastic with foam rubber
23 mm intake

Length / cm	Art.No.	PU
45	14006	10
55	14007	10

Tile squeegee

	Version for tile cleaning. Cleans tiles and joints. Foam rubber	Length / cm	Art.No.	PU
		35	14008	10

Shower cubicle squeegee

	For walls made of glass, acrylic, tiles, etc. TPR rubber lip does not stain. Plastic	Länge / cm	Art.Nr.	PU
		23,5	14014	10

Telescopic mop handle

	2 x 80 cm with adapter cap Ø 23.5 mm. Two-section telescopic pole. High-quality processing, very stable. Material: plastic, aluminium	Length / cm	Art.No.	PU
		160	14009	10

Alu handle with broom thread

	140 cm, with broom thread. High-quality processing, very stable. Material: plastic, aluminium Ø 23 mm	Length / cm	Art.No.	PU
		140	14010	25

Mop handle for mop holder

	140 cm, for mop holder High-quality processing, very stable. Material: plastic, aluminium Ø 23 mm	Length / cm	Art.No.	PU
		140	14011	25

Alu handle for Water squeegee

	140 cm, for water squeegee. High-quality processing, very stable. Material: plastic, aluminium Ø 22 mm	Length / cm	Art.No.	PU
		140	14012	50



Microfibre cloth for glass

	<p>Maximum absorption power. High-quality material, durable. 300 g/m²</p>	Length / cm	Art.No.	PU
		60 x 80	15501	10
		40 x 40	15502	10

Microfibre cloth

	<p>Washable at up to 60°C. For drying and polishing damp pre-treated surfaces. 250 g/m² 40 x 40 cm</p>	Art.No.	PU
		blue	15504

Universal sponge

	<p>In 2 sizes, neutrally packaged.</p>	Size / mm	Art.No.	PU
		165 x 110 x 60	15507	10
		180 x 200 x 60	15508	10

Hand pads



Thick fleece.
Fleece with high cleaning power.
250 x 120 x 20 mm

	Art.No.	PU
white	15509	25
green	15510	25
black	15511	25

Pad holder



With handle.

Length / cm	Art.No.	PU
24 x 10	15512	10

Pad holder



With moveable joint.
Fits on mop handle 14011.

Length / cm	Art.No.	PU
23 x 10	15513	10



Product overview

1. Washers & T-bars

LEWI washers meet the highest professional demands.

They fit comfortably and safely into the hand, ensuring the right grip even in wet conditions.

2. Squeegees & Rubber

LEWI window wipers allow rapid and streak-free working – even on complicated objects. LEWI wiper rubbers impress with their first-class quality and durability.

LEWI wiper bars can be exchanged and adjusted easily. They are made of high-quality stainless steel.

Wiper rubber (hard): perfect for smooth surfaces and warmer outdoor temperatures (Shore-hardness = 60 ± 2).

Wiper rubber (soft): perfect for uneven surfaces and colder outdoor temperatures (Shore-hardness = 53 ± 2).

3. Glass scrapers & Blades

Stubborn dirt, paint residues or stickers can be easily removed with LEWI glass scrapers. They fit perfectly into the hand and can be operated quickly and easily.

The easy exchange of the blades and the protective mechanisms ensure the necessary safety at work.

4. Telescopic poles

Perfect for all tasks carried out from a distance, at height or overhead work. The LEWI telescope pole system enables safe and fast working without ladder directly from the ground. It consists of high-quality professional telescope poles and a large number of complementary tools + components. These can be clipped on easily and safely. The sophisticated Lehmann connection system with special cone ensures a fixed connection at any time.

A specifically fitted slide block prevents the poles from twisting sideways. Available lengths: up to 12 metres. Special sizes on request.

Order, packaging and shipment:

- PU 10: Order of 10 assorted items possible
- PU 4: Order of 4 assorted items possible
- Packaging costs are charged in case of orders, which are smaller than our packaging units (PU)
- Shipment by forwarding agent (Art.No. 12009, 12010, 12014, 12015, 14520, 14521)

5. Water fed poles & Water brushes

LEWI water fed poles and water brushes – for thorough cleaning of house walls, winter gardens, solar modules or vehicles. Very robust and extremely durable.

All poles are equipped with R 1/4" threads for accommodating washing brushes and brass adapters for standard hose connections.





6. Chamois Leather

LEWI chamois leather for clean windows and surfaces, without streaks and stains. A pure natural product - environmentally friendly, tolerated by the skin, absorbent, easy to clean and antistatic.

7. Cleaning sets

Perfect basic equipment for professional cleaning of glass and smooth surfaces:

LEWI set „Glass & window cleaning“
LEWI set „Winter garden & Solar cleaning“

8. Accessories

LEWI accessories have been tried and tested in tough professional use. It helps to make daily cleaning tasks even easier.

9. Belts & Quivers

With the quiver or the apron, you have the most important items always at hand and, thus, will be able to work quickly. High-quality materials ensure a long durability.

10. Buckets & Waxers

LEWI buckets are functional and perfectly prepared for professional cleaning use.

The rectangular bucket with a capacity of 22 litres allows a complete immersion of up to 45 cm wide cleaning tools.

11. Water squeegees & Mop handles

Whether for easier cleaning jobs or industrial use LEWI water squeegees are specialists for perfect floor cleaning. Depending on the job requirements, water squeegees can be supplied with reinforced pole holders or in different foam rubber qualities.

12. LEWI Cloths & Pad sponges

The practical helper for perfect glass cleaning and care. For an easy removal of major or minor dirt.

Tried and tested cleaning system for professionals – versatile, cost effective and safe.

For 20 years, QLEEN systems have been used successfully all over the world. QLEEN’s easy-connect system modules offer perfect solutions for cleaning glass, building facades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability.

Better than clean: QLEEN.

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.

			
	PURASTART Mini & Maxi	PURASTART	PURASTART E
Operational area	Home	Semi-Professional	Semi-Professional
Filter system	Mixed bed resin	Mixed bed resin	Mixed bed resin
suitable for cleaning	  Glass/Lamella Solar	  Glass/Lamella Solar	  Glass/Lamella Solar
Cleaning capacity per hour	Up to 50 m ²	Up to 100 m ²	Up to 250 m ²
Water supply	 Water	 Water	  Water Tank
Power supply	×	×	 Rechargeable battery
Cleaning modes	 Purewater	 Purewater	 Purewater
Connection for rotating brush ROTAQLEEN	×	×	
Remote control for up to 50 m	×	×	
Hose	12,5 m robust flexible hose	25 m robust flexible hose	25 m hose



* Depending on equipment variant.

Cleaning with the power of pure water.


All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, mineral-free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately.

Surfaces cleaned with QLEEN dry themselves, with no stains or stripes. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.

				
RO - Osmoseanlage	DISY	PROFI I	PROFI II	Q-Station
Semi-Professional	Professional	Professional		
Reverse osmosis membrane	Mixed bed resin	Mixed bed resin		
 	  	 		
Glass/Lamella	Glass/Lamella	Solar	Facade	
Up to 250 m²	Up to 250 m²	Up to 250 m²		
	 			
Water	Water	Tank *	Water	
				
Opt. connection	Opt. connection*	Rechargeable battery	Opt. connection*	
	  	 		
Purewater	Water	Purewater	Reinigungsmittel*	
	 *			
25 m hose	50 m single or 50 m DUO-hose *	50 m DUO-hose		



QLEEN PURASTART		
Mini	Maxi	Mini Complete set
For occasional cleaning of small to medium areas with sustainable Purewater. Carrying handle with integrated meter for Purewater quality. Water supply via the domestic water connection.		
		
Scope of delivery: <ul style="list-style-type: none"> QLEEN PURASTART Mini with 12,5 l mixed bed resin 	Scope of delivery: <ul style="list-style-type: none"> QLEEN PURASTART Maxi with 25 l mixed bed resin 	Scope of delivery: <ul style="list-style-type: none"> QLEEN PURASTART Mini basis station (17041) Telescopic HYBRIDPOLE NoTwist extendable to 450 cm (70551) Hose-set (72643) Angle brush glass (71041) with Alu-Crank (72649)
Weight: 15 kg Dimension: 21 x 21 x 58 cm (L x B x H)	Weight: 21 kg Dimension: 21 x 21 x 113 cm (L x B x H)	Weight: 17,0 kg
Art.No. 17041	Art.No. 17049	Art.No. 70044



QLEEN PURASTART	
Base station	Complete set
For occasional cleaning of small to medium-sized areas with sustainable PUREWATER. Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for purewater quality. Water supply via the domestic water connection.	
	
Scope of delivery: <ul style="list-style-type: none"> QLEEN PURASTART Base station 	Complete set with all accessories consisting of: <ul style="list-style-type: none"> QLEEN PURASTART Basisstation (17042) Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542) Vario brush bow (71038) with 40 cm window brush (71001)
Weight: 45 kg Dimension: 53 x 53 x 110 cm (L x B x H)	Weight: 50 kg Dimension: 53 x 53 x 110 cm (L x B x H)
Art.No. 17042	Art.No. 70043

* Accessories are not included in the scope of delivery.



25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Manoeuvrable and stable trolley with large wheels for any surface

Water connection via claw coupling, Gardena or supplied suction hose

Compact pump for uniform output pressure at the brush and for suction from a tank or drum



Remote control for controlling the pump and ROTAQLEEN* at a distance of up to 50 m



Charger included
Fast charging in maximum 5 hours



Integrated measuring device for Purewater quality

Powerful Li-Ion battery with 360 Wh, for use up to:

- 8 hours with ROTAQLEEN Classic
- 4 hours with ROTAQLEEN Vario

25 m flexible hose with stopcock

Instructions



Spare parts



* Accessories are not included in the scope of delivery.

QLEEN PURASTART E*

Base station		Complete set	
<p>For occasional cleaning of small to medium-sized areas with sustainable Purewater. Modern, maneuverable plastic trolley with 25 m hose. Integrated measuring device for Purewater quality. With powerful pump for suction operation from the tank or house water connection. Connection for all current ROTAQLEEN and forward/reverse flow via remote control.</p>			
			
<p>Scope of delivery:</p> <ul style="list-style-type: none"> QLEEN PURASTART E with battery, remote control and charger 		<p>Complete set with all accessories consisting of:</p> <ul style="list-style-type: none"> QLEEN PURASTART Base station (72101) Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542) Vario brush bow (71037) with 40 cm window brush (71001) 	
Weight:	50 kg	weight:	55 kg
Dimension:	53 x 53 x 110 cm (L x B x H)		
Art.No.	72101	Art.No.	70063

Q-Power Akku for PURASTART*

	<p>Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN. As a replacement battery for the QLEEN PURASTART E or for retrofitting for the current QLEEN PURASTART. With remote forward/reverse for the ROTAQLEEN.</p>		
	<p>Scope of delivery:</p> <ul style="list-style-type: none"> Q-Power battery Remote control Charger for 110/230 V 		
Weight:	2,5 kg	Art.No.	
Input voltage:	25,4 V		
Output current:	360 Wh		
		Art.No.	
with remote control		72104	

Charger

	<p>Charger for the Q-Power battery. C charging time maximum 5h.</p>		
	<p>Scope of delivery:</p> <ul style="list-style-type: none"> Charger 		
Weight:	0,6 kg	Art.No.	
Input voltage:	100-240 V		
Output current:	3 A		
		Art.No.	
	72108		

* The battery comes with a limited warranty of 6 months.




25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Small wheels for horizontal storage in the car

50 m single or DUO hose* on removable hose reel

Water connection via claw coupling, Gardena or supplied suction hose*



Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump* for admixing cleaning agents for heavily soiled substrates

Video Instructions Spare parts

Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

*Depending on the equipment variant. Picture shows DISY Elektro DUO. Accessories are not included in the scope of delivery.

QLEEN DISY			
Single-hose		DUO-hose	
For regular and professional cleaning of medium to large areas with sustainable Purewater. For the domestic water connection.			
			
Pure water/water operation with 50 m single hose on hose reel.		Pure water/water and cleaning agent operation through the injector with 50 m DUO hose on hose reel.	
Scope of delivery: <ul style="list-style-type: none"> • QLEEN DISY base station with single hose 		Scope of delivery: <ul style="list-style-type: none"> • QLEEN DISY base station with DUO hose and injector 	
Weight: 72 kg Dimension: 66 x 66 x 110 cm (L x B x H)		Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x B x H)	
Art.No. 70051		Art.No. 70052	

Qleen DISY Elektro			
Single-hose	DUO-hose	Complete set	
For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or domestic water connection, Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.			
			
Clean water/water operation with 50 m Single hose on hose reel.	Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.	Complete set consisting of: <ul style="list-style-type: none"> • QLEEN DISY electric DUO hose base station (70054) • Pole set for a working height of up to 14.5 m: <ul style="list-style-type: none"> • 5 CARBONPOLE (70500) • 3 TITANPOLE (70501) • 1 half TITANPOLE (70502) • 1 Handle (72571) • 1 Adapter brush bow (72516) • Vario brush bow (71037) with 40 cm window brush (71001) 	
Scope of delivery: <ul style="list-style-type: none"> • QLEEN DISY Elektro base station with single hose 	Scope of delivery: <ul style="list-style-type: none"> • QLEEN DISY Elektro base station with DUO hose and dosing pump 		
Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x B x H)	Weight: 80 kg Dimension: 66 x 66 x 110 cm (L x B x H)	Weight: 87,0 kg	
Art.No. 70053	Art.No. 70054	Art.No. 70040	

Qleen PROFI I					
Single-hose		DUO-hose		Complete set	
<p>For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or house water connection. Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger. Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.</p>					
					
<p>Clean water/water operation with 50 m Single hose on hose reel.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> QLEEN PROFI I base station with 50 m single hose <p>Weight: 135 kg Dimension: 112 x 54 x 112 cm (L x B x H)</p>		<p>Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> QLEEN PROFI I base station with 50 m DUO hose and dosing pump <p>Weight: 135 kg Dimension: 112 x 54 x 112 cm (L x B x H)</p>		<p>Komplettsset bestehend aus:</p> <ul style="list-style-type: none"> QLEEN PROFI I DUO-hose (70013) Pole set for a working height of up to 14.5 m: <ul style="list-style-type: none"> 5 Pole set for a working height of up to 14.5 m: 5 CARBON POLES (70500), 3 TITAN POLES (70501), 1 half TITAN POLE (70502) and transport bag (72508) Vario brush bow (71037) with 40 cm window brush (71001) <p>Weight: 147,0 kg</p>	
<p>Art.No. 70049</p>		<p>Art.No. 70013</p>		<p>Art.No. 70042</p>	

QLEEN PROFI II Base station

	<p>For regular and professional cleaning of large areas with sustainable PUREWATER. The PROFI in a modern design. Power supply already integrated. The rest of the equipment is the same as the PROFI I.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> QLEEN PROFI II Base station <p>Weight: 140,0 kg Dimension: 115 x 73 x 109 cm (L x B x H)</p>
<p>Art.No. 70037</p>	

Supplementary bottle

	<p>Supplementary bottle for the existing bottle holder on the PROFI I & II. Up to 50 % more efficient utilization of the mixed bed resin by using the used bottle beyond 50 µS as a pre-filter for the new bottle.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Supplementary bottle, granulate, bottle head including mounting accessories <p>Weight: 30,0 kg</p>
<p>Art.No. 72642</p>	

External power supply PROFI I

	<p>Power supply for substructure on the PROFI I. For operation on mains voltage without battery.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Power supply including connections <p>Weight: 5,0 kg</p>
<p>Art.No. 72653</p>	

* Accessories are not included in the scope of delivery.

25 l mixed bed resin bottle for 100 percent conversion of tap water into Purewater
Expandable with second bottle for doubling total Purewater production*.

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

Connection for the power supply* (72653) for permanent operation on the mains supply



With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

50 m DUO hose on hose reel

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN*
Charger included
Charging time maximum 12h

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates

Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)



Video

Instructions

Spare parts



50 m DUO hose on hose reel

Connection for the power supply* (72653) for permanent operation on the mains supply

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump for admixing cleaning agents for heavily soiled surfaces

Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN*
Charger included
Charging time maximum 12h

Instructions Spare parts





Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

* Accessories are not included in the scope of delivery.

Q-Station			
Single-Hose		DUO-Hose	
<p>For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or house water connection. Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger. Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.</p>			
			
<p>Clean water/water operation with 50 m Single hose on hose reel.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Q-Station with 50 m single hose <p>Weight: 100 kg Dimension: 73 x 36 x 103 cm (L x B x H)</p>		<p>Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Q-Station with 50 m DUO hose and dosing pump <p>Weight: 100 kg Dimension: 73 x 36 x 103 cm (L x B x H)</p>	
<p>Art.No.</p> <p>70055</p>		<p>Art.No.</p> <p>72669</p>	

Tank			
250 l		500/1000 l	
<p>Lightweight, stable plastic tank for installation in cars or high-roof vans. With integrated surge protection to prevent strong water movement while driving. Integrated beading on the tank to secure it in the vehicle.</p>			
			
<p>Flat version with 250 l capacity.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Tank 250 l with connections <p>Weight: 22 kg Dimension: 83 x 110 x 37 cm (L x B x H)</p>		<p>Upright version with 500 l capacity, expandable with 2nd tank to 1000 l.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Tank 500 l with connections <p>Weight: 34 kg Dimension: 82 x 100 x 96 cm (L x B x H)</p>	
<p>Art.No.</p> <p>72681</p>		<p>Art.No.</p> <p>72680</p>	

External power supply Q-Station	
	<p>Power supply for mounting on the Q-Station. For operation on mains voltage without battery.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Power supply including connections <p>Weight: 5,0 kg</p>
<p>Art.No.</p> <p>72653</p>	

The alternative to mixed bed resin with reverse osmosis membrane for long running times. Particularly suitable for tap water with a very high degree of hardness.

NEU

Integrated electronic dry-running protection and built-in water meter

25 m single hose with electronic overpressure cut-off in case of kinked hose

Integrated measuring device for the water quality of the outlet water


With one or two membranes with up to 350 l/h and a running time of 24 months

With integrated ROTAQLEEN connection for all current rotating brushes

Pre-filter for suspended particles and sediments- Replacement necessary after 6 months

Remote control for ON/OFF and forward and return for ROTAQLEEN

Maneuverable and stable trolley with large wheels for any surface



QLEEN RO - Osmosis system

One membrane		Two membranes	
For regular and professional cleaning of medium to large areas with sustainable Purewater. With water timer, electronic dry-running protection and overpressure protection for the pump. Connection for ROTAQLEEN and remote control for the pump and control of the ROTAQLEEN.			
			
Up to 150 liters of Purewater per hour through 25 m of hose Scope of delivery: <ul style="list-style-type: none"> QLEEN RO with one membrane Weight: 44 kg Dimension: 53 x 53 x 100 cm (L x B x H)		Up to 300 liters of Purewater per hour through 25 m of hose. Scope of delivery: <ul style="list-style-type: none"> QLEEN RO with two membranes Weight: 50 kg Dimension: 53 x 53 x 100 cm (L x B x H)	
Art.No. 70057		Art.No. 70058	

QLEEN RO-Osmosis system without ROTAQLEEN control unit

	Simple RO system without ROTAQLEEN control unit for filling and cleaning applications. Up to 150 liters of Purewater per hour through 25 m hose. Scope of delivery: <ul style="list-style-type: none"> QLEEN RO with one membrane Weight: 40 kg Dimension: 53 x 53 x 100 cm (L x B x H)
Art. No. 70062	

Replacement pre-filter for RO osmosis system

	The pre-filter for all osmosis systems is for coarse filtering of the input water This must be replaced after 6 months at the latest. Scope of delivery: <ul style="list-style-type: none"> Replacement pre-filter Weight: 0,02 kg Dimension: 25 x 6 x 6 cm (L x B x H)
Art.No. 92039	

Replacement membrane for RO osmosis system

	Replacement for all osmosis systems with a service life of approx. 24 months. Scope of delivery: <ul style="list-style-type: none"> Replacement membrane Weight: 2,2 kg Dimension: 62 x 11 x 11 cm (L x B x H)
Art.No. 92041	

For unimagined flights of fancy.

Our wide range of poles extends from lightweight telescopic poles to flexible and lightweight segment poles with innovative and fast bayonet locks for easy assembly and disassembly of the segments.

We use super-light and at the same time highly stable carbon for our poles. As a cost-effective alternative, we use a special aluminum alloy.

4,50 m

6,00 m

7,60 m

9,20 m

12,20 m

22,02 m

Teleskop HYBRIDPOLE 4,50 m - Art.-No. 70551

Pole material: Glass fibre, carbon
 Retracted length: 1,73 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop HYBRIDPOLE 6,00 m - Art.-No. 70540

Pole material: Glass fibre, carbon
 Retracted length: 1,77 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop HYBRIDPOLE 7,60 m - Art.-No. 70541

Pole material: Glass fibre, carbon
 Retracted length: 1,83 m
 Stability: ●●●○○
 Lightness: ●●●○○



Teleskop CARBONPOLE 9,20 m - Art.-No. 70542

Pole material: Carbon
 Retracted length: 1,88 m
 Stability: ●●●●○
 Lightness: ●●●●○



Teleskop CARBONPOLE 12,6 m - Art.-No. 70543

Pole material: Carbon
 Retracted length: 1,99 m
 Stability: ●●●●○
 Lightness: ●●●●○



TITANPOLE - Art.-No. 70501

Material: Special aluminium alloy
 Segment length: 1,63 m
 Maximum length: 12,24 m (7 segments + 1 half segment)
 Stability: ●●●○○
 Lightness: ●●○○○



CARBONPOLE - Art.-No. 70500

Material: Carbon
 Segment length: 1,63 m
 Maximum length: 22,02 m (13 segments + 1 half segment)
 Stability: ●●●●○
 Lightness: ●●●●○



Segment poles with bayonet lock



Pole element with innovative bayonet lock for quick and easy assembly and disassembly. Made from a special aluminum alloy or carbon. All-rounder - quick and easy to combine with all QLEEN brushes and ROTAQLEEN.

Attention: The adapter brush bow (72516) is required!

Scope of delivery: Titanpole in 1,63 m, 0,83 m or Carbonpole in 1,63 m

	Lenght	Weight in kg	Diameter Handle in mm	Maximum Segments	Material	Art.No.
1.	0,83	0,47	42	-	Aluminium	70502
2.	1,63	0,85	42	7	Aluminium	70501
3.	1,63	0,59	42	13	Carbon	70500

Adapter Brush bow



For QLEEN poles with bayonet lock G4
Ensures a firm and secure connection between QLEEN brush bend and QLEEN poles.

Scope of delivery:

- Adapter, suitable for QLEEN poles (Ø 42 and 50 mm) with bayonet catch G4

Weight: 0,01 kg
Material: Aluminium anodised

Art.No.

72516

Handle



Suitable for CARBON- and TITANPOLE G4

Scope of delivery:

- Handle with wing screw, bayonet lock G4

Weight: 0,02 kg
Material: Aluminium anodised

Art.No.

72571

Solar glide shoe



Tailor-made for solar cleaning, protects sensitive module surfaces during cleaning. Velcro fasteners guarantee a secure connection with the QLEEN Poles.

Scope of delivery:

- Solar glide shoe

Weight: 0,25 kg
Bristle thickness: 0,4 mm
Bristle length: 30 mm
Material: PE, PBT, red

Art.No.

72040

Bag for poles



For safe storage and transportation.
Bag for 14 QLEEN poles and one half pole

Scope of delivery:

- Bag for QLEEN Poles (without poles)


Weight: 0,8 kg
Material: PE

Art.No.

72508

Thanks to the new NoTwist technology, the individual segments can no longer twist, so the brush head remains stable on the cleaning surface without twisting away. The hose can be routed both inside and outside.

NEU



Replaceable brush adapter for all QLEEN and/or LEWI products
Feed-through for the internal hose.

Innovative clamping lever with large adjusting screw for quick readjustment of the rod clamping.

Integrated clamping protection for hose clips for hose and protection against injury.

"NoTwist" prevents the twisting of all elements. This enables more controlled and direct work at all heights.

Sturdy support foot with feed-through and kink protection for the internal hose

With internal hose and connector for all QLEEN machines*

* The 4.5 m telescopic HYBRIDPOLE is equipped with a 12.5 m flexible hose and a Gardena connection.

NoTwist telescope HYBRIDPOLE



Telescopic pole made of fibreglass/carbon. The cost-effective and stable telescopic pole with internal hose. Ideal for longer work assignments, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Scope of delivery:

- Telescopic pole 4.5 m, 6.0 m or 7.6 m with internal hose, hose clips, adapter for QLEEN brushes

Length extended in m	Length retracted in m	Weight in kg	Diameter Handle in mm	Segments	Art.No.
4,50	1,73	1,0	30	3	70551
6,00	1,77	1,4	34	4	70540
7,60	1,83	1,9	38	5	70541

NoTwist Teleskop CARBONPOLE



Telescopic pole made of carbon. Sturdy and lightweight poles for professional use with internal hose. Ideal for longer work sessions, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Scope of delivery:

- Telescopic pole 9.2 or 12.6 m with internal hose, hose clips and adapter for QLEEN brushes

Length extended in m	Length retracted in m	Weight in kg	Diameter Handle in mm	Segments	Art.No.
9,20	1,88	2,2	42	6	70542
12,60	1,99	3,4	50	8	70543

Brush adapter



Brush adapter for the telescopic poles for all QLEEN products or LEWI products.

Scope of delivery:

- QLEEN or LEWI adapter

Weight: 0,01 kg
Material: anodised

	Art.No.
QLEEN	72689
Lewi	72690

Clipse



Clips for attaching the hose or cable for the ROTAQLEEN to the telescopic pole.

Scope of delivery:

- Clip set 1-8

Weight: 0,01 kg
Material: PE

	Art.No.
	70533

Rounded brush ends for window frame corners and protruding edges

Brush width in 40 cm or 60 cm
White extra soft for glass
Red soft spliced for solar Blue
hard for facade

3 power fan nozzles with wide jet angle for connecting the DUO hose

Low weight of 2.2 kg (40 cm) and 2.8 kg (60 cm) for fatigue-free working

2 powerful 24 V motors

Brush wear is signaled by a black and shorter indicator bristle*



* Will be introduced for all Classic brushes in the course of the year


ROTAQLEEN Classic								
Glass			Solar			Facade		
The rotating classic for all surfaces and buildings. Brush width in 40 or 60 cm. Driven by two powerful motors located in the brush head. Including 20 m connection cable.								
								
Ideal for cleaning corners, niches and window frames. Scope of delivery: <ul style="list-style-type: none"> ROTAQLEEN Classic with white brush (soft) 20 m connection cable 			Ideal for cleaning small and medium-sized solar arrays. Scope of delivery: <ul style="list-style-type: none"> ROTAQLEEN Classic with red brush (medium hardness) 20 m connection cable 			Ideal for cleaning corners, angles and facade niches. Scope of delivery: <ul style="list-style-type: none"> ROTAQLEEN Classic mit with blue brush (hard) 20 m connection cable 		
Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 U/min			Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 U/min			Weight 40 / 60: 2,2 / 2,8 kg Speed: 180 U/min		
Width	Art.No.		Width	Art.No.		Width	Art.No.	
40 cm	72000		40 cm	72004		40 cm	72002	
60 cm	72001		60 cm	72005		60 cm	72003	

Cable reel ROTAQLEEN

	Cable reel for ROTAQLEEN. With 50 m cable and push-pull connectors for 24 V. For work with a longer range.	Art. No.	
	Scope of delivery: <ul style="list-style-type: none"> Cable reel with 50 m connection cable 	72565	
Weight:	6,5 kg		

ROTAQLEEN Classic replacement brush

ROTAQLEEN Classic replacement brush								
Glass			Solar			Facade		
								
The soft and hard-wearing brushes are ideal for glass cleaning. With indicator bristles for wear.			The medium-hard and hard-wearing brushes are ideal for solar cleaning. With indicator bristles for wear.			The hard and durable brushes are ideal for facade cleaning. With indicator bristles for wear.		
Scope of delivery: <ul style="list-style-type: none"> Glass brush heads (right and left) 			Scope of delivery: <ul style="list-style-type: none"> Solar brush heads (right and left) 			Scope of delivery: <ul style="list-style-type: none"> Facade brush heads (right and left) 		
Bristle thickness: 0,3 mm Bristle length: 30 mm Material: PE, PBT, white			Bristle thickness: 0,4 mm Bristle length: 30 mm Material: PE, PBT, red			Bristle thickness: 0,5 mm Bristle length: 30 mm Material: PE, PBT, blue		
Width	Art.No.		Width	Art.No.		Width	Art.No.	
40 cm	72006		40 cm	72010		40 cm	72008	
60 cm	72012		60 cm	72016		60 cm	72014	



Powerful 24 V motor with 150 watt output
Integrated water cooling for long operating times

Patented Vario joint for easy change of direction of the brush by turning the pole system

Stable splash guard
4 or 6 power fan nozzles* with wide spray angle for connecting the DUO hose

Double ball bearing brush drivers

Continuous brush in 50 cm or 75 cm* for large-area cleaning
White extra soft for glass
Red soft for solar
Blue hard for facade

Robust and low-maintenance duplex drive chain for power transmission to the brush

Video	Instruction	Spare parts
		

* Depending on variant. Picture shows ROTAQLEEN Vario 50 Solar.

ROTAQLEEN Vario

Glass			Solar			Facade		
Rotating cleaning power for large areas. Brush width in 50 cm or 75 cm Precise and easy guidance thanks to patented joint. Powerful, water-cooled motor for continuous use. Including 20 m connection cable.								
								
Ideal for glass roofs, glass domes, movable roof glass constructions, aluminium-glass constructions.			Ideal for cleaning large rooftop systems or elevated solar systems.			Ideal for cleaning facades.		
Scope of delivery:			Scope of delivery:			Scope of delivery:		
<ul style="list-style-type: none"> ROTAQLEEN Vario with white brush (soft) 20 m connection cable 			<ul style="list-style-type: none"> ROTAQLEEN Vario with red brush (medium hardness) 20 m connection cable 			<ul style="list-style-type: none"> ROTAQLEEN Vario mit with blue brush (hard) 20 m connection cable 		
Weight 50 / 75: 6,5 / 7,6 kg Speed: 195 U/min			Weight 50 / 75: 6,5 / 7,6 kg Speed: 195 U/min			Weight 50 / 75: 6,5 kg Speed: 195 U/min		
Width	Art.No.		Width	Art.No.		Width	Art.No.	
75 cm	72019		75 cm	72018		50 cm	72090	
50 cm	72021		50 cm	72020				

Cable reel ROTAQLEEN

	Cable reel for ROTAQLEEN. With 50 m cable and push-pull connectors for 24 V. For work with a longer range.		Art.No.
			72565
	Scope of delivery:		
	<ul style="list-style-type: none"> Cable reel with 50 m connection cable 		
	Gewicht:	6,5 kg	

ROTAQLEEN Vario replacement brush

Glass			Solar			Facade		
								
The soft and hard-wearing brushes are ideal for glass cleaning.			The medium-hard and hard-wearing brushes are ideal for solar cleaning..			The hard and hard-wearing brushes are ideal for facade cleaning.		
Scope of delivery:			Scope of delivery:			Scope of delivery:		
<ul style="list-style-type: none"> Glass brush 			<ul style="list-style-type: none"> Solar brush 			<ul style="list-style-type: none"> Facade brush 		
Bristle thickness: 0,3 mm Bristle length: 30 mm Material: PE, PBT, white			Bristle thickness: 0,4 mm Bristle length: 30 mm Material: PE, PBT, red			Bristle thickness: 0,5 mm Bristle length: 30 mm Material: PE, PBT, blue		
Width	Art.No.		Width	Art.No.		Width	Art.No.	
50 cm	72025		50 cm	72024		50 cm	72026	
75 cm	72023		75 cm	72022				



Q-Power backpack system



For fast and flexible cleaning with our ROTAQLEEN system. Can be used wherever there is no electricity or the surfaces to be cleaned are difficult to access. Suitable for all current ROTAQLEEN.

- Scope of delivery:**
- Power backpack system with manual operation for forward/backward motion
 - 10 m connection cable for ROTAQLEEN
 - Charger for 100-240 V

Weight: 5,5 kg
 Dimension: 70 x 80 x 12 cm (L x B x H)

Art.No.	
72100	

* We offer a limited warranty of 6 months for the battery.

Q-Power battery for backpack system*



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN. As a replacement battery for the Q-Power backpack system.

Scope of delivery:

- Q-Power battery
- Charger for 100-240 V

Weight: 2,5 kg
 Output voltage: 25,4 V
 Power: 360 Wh

	Art.No.
without remote control	72102

Manual operation for Q-Power battery without remote control



Manual forward/reverse operation for Q-Power battery without remote control (72102).

Scope of delivery:

- Q-Power Manual operation

Weight: 0,5 kg

Art.No.
72103

Connection cable



Connection cable for ROTAQLEEN to Q-Power battery, in different lengths.

Scope of delivery:

- connecting cable

Weight: 10 / 15 / 20: 1,2 / 1,7 / 2,2 kg

	Art. No.
10 m	72111
15 m	72112
20 m	72113

Backpack



Robust and well padded backpack for durable use.

Scope of delivery:

- Q-Power Backpack

Weight: 0,7 kg

Art.No.
72107

Charger



Charger for the Q-Power battery. Charging time maximum 5h.

Scope of delivery:

- Charger

Weight: 0,6 kg
 Input voltage: 100-240 V
 Output current: 3 A

Art.No.
72108

* We offer a limited warranty of 6 months for the battery.

External power supply

	<p>Portable power supply for ROTAQLEEN. . Enables ROTAQLEEN to be used if the QLEEN station used is not electrically equipped or systems from other manufacturers are used. With manual forward/reverse on the power pack or remote control.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Power supply with remote control. <p>Weight: 4,5 kg Input voltage: 100 - 240 V Dimensions: 30 x 14 x 14 cm (L x B x H)</p>	Art.No.	
		72078	

Adapter for third-party systems

Unger nLITE (around)	Unger nLITE (oval)	Gardiner
		
<p>Adapter for round nLITE poles from Unger. Suitable for all our QLEEN attachments.</p> <p>The 1st element must be removed.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Unger Adapter (around) <p>Weight: 0,02 kg Material: Aluminium</p>	<p>Adapter for oval nLITE poles from Unger. Suitable for all our QLEEN attachments.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Unger Adapter (oval) <p>Weight: 0,01 kg Material: Aluminium</p>	<p>Adapter for telescopic poles. Suitable for all our QLEEN attachments.</p> <p>The 1st and 2nd element must be removed.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Gardiner Adapter <p>Weight: 0,02 kg Material: Aluminium</p>
Art.No. 72587	Art.No. 72684	Art.No. 72688

Transport box for ROTAQLEEN

Classic 40/60 cm	Vario 50 cm	Vario 75 cm
		
<p>Padded box for safe transport of the ROTAQLEEN Classic.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Transport box for Classic 40/60 cm <p>Weight: kg Dimension: 64,0 x 43,0 x 15,5 cm (L x B x H)</p>	<p>Padded box for safe transport of the ROTAQLEEN Vario.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Transport box for Vario 50 cm <p>Weight: kg Dimension: 66,5 x 30,0 x 30,0 cm (L x B x H)</p>	<p>Padded box for safe transport of the ROTAQLEEN Vario.</p> <p>Scope of delivery:</p> <ul style="list-style-type: none"> Transport box for Vario 75 cm <p>Weight: kg Dimension: 89,0 x 30,0 x 30,0 cm (L x B x H)</p>
Art.No. 86728	Art.No. 88858	Art.No. 86729

*Price netto




Adapter for old ROTAQLEEN to current machines			
For year of manufacture 01/2014 to 12/2017		For year of manufacture 01/2018 to 12/2022	
Plug connection on the ROTAQLEEN			
			
Adapter cable needed			
			
Adapter cable for a 24 V ROTAQLEEN from year of manufacture 01/2014 to 12/2017 for connection to all machines from year of manufacture 01/2023 with push-pull socket.		Adapter cable for a 24 V ROTAQLEEN from model year 01/2018 to 12/2022 for connection to all machines from model year 01/2023 with push-pull socket.	
Scope of delivery: <ul style="list-style-type: none"> • Adapter cable 		Scope of delivery: <ul style="list-style-type: none"> • Adapter cable 	
Weight: 0,2 kg		Weight: 0,2 kg	
Art.No. 72093		Art.No. 72091	

Adapter for new ROTAQLEEN to old machines			
For year of manufacture 01/2014 - 12/2017		For year of manufacture 01/2018 - 12/2022	
Socket on the machine			
			
Adapter cable needed			
			
Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2014 and 12/2017.		Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2018 and 12/2022.	
Scope of delivery: <ul style="list-style-type: none"> • Adapter cable 		Scope of delivery: <ul style="list-style-type: none"> • Adapter cable 	
Weight: 0,2 kg		Weight: 0,2 kg	
Art.No. 72094		Art.No. 72092	

4 brush holders for all common
slat spacings of 50/100 mm, 60
mm, 70 mm and 80 mm

Brush holder and handle together
weigh only 1.2 kg for fatigue-free
and long working hours

Transport box for quick and
easy storage of all
lamella cleaner parts



4 power fan nozzles with
wide beam angle

Accessories for changing the
nozzles Gardena connection for
the domestic water connection

Grip piece with stopcock integrated
Vario joint for flexible QLEEN pole or
LEWI telescopic pole

Video



Instruction



Spare parts



Complete set



Perfect choice for slat spacing from 50 to 100mm


Complete set consisting of:

- Brush holder for 50/100 cm, 60 cm, 70 cm and 80 cm slat spacing
- Nozzle set with mounting accessories and tools
- Handle with Vario joint and
- Transport box
- Adapter for Unger hose and water connection

Weight: 4,5 kg
Dimensions: 57 x 28 x 28 cm (L x B x H)

	Art. No.	
Set	71500	

Brush holder and brush



Perfect choice for slat spacing of 80 mm.


Scope of delivery:

- Brush holder with brushes for 80 mm slat spacing or single brush

Brush diameter: 85 mm
Number of brush holder: 5 brushes

	Art. No.	
holder	71503	
Brush	71504	

Brush holder and brush



Perfect choice for slat spacing of 70 mm.


Scope of delivery:

- Brush holder with brushes for 70 mm slat spacing or single brush

Brush diameter: 75 mm
Number of brush holder: 6 brushes

	Art. No.	
holder	71505	
Brush	71506	

Brush holder and brush



Perfect choice for slat spacing of 60 mm.


Scope of delivery:

- Brush holder with brushes for 60 mm slat spacing or single brush

Brush diameter: 65 mm
Number of brush holder: 6 brushes

	Art. No.	
holder	71507	
Brush	71508	

Brush holder and brush



Perfect choice for slat spacing of 50 mm and 100 mm.

Scope of delivery:

- Brush holder with brushes for 50 and 100 mm slat spacing or single brush

Brush diameter: 55 mm
Number of brush holder: 8 brushes

	Art. No.	
holder	71509	
Brush	71510	

Handle piece for Lamella brush holder



Handle with Vario joint, nozzles for finned brush holder and stopcock.

Scope of delivery:

- Nozzle set (1.)
- Handle with stopcock (2.)

	Art. No.	
1.	71525	
2.	71526	
Set	71502	



Video



Instruction



Spare parts



QLEEN Indoor System*



Quick cleaning of hard-to-reach surfaces. Streak-free drying due to demineralised water.

Complete professional interior cleaning system with:


Control unit with bag, 5 spare pads with bag, Water tank with bag, joint with pad holder, belt, charger

Weight: 2,9 kg

System without rod! Operation only in conjunction with water telescopic rod for indoor. Below you can choose a suitable rod for yourself:

Art. No.
17048

Water telescopic pole - only for QLEEN Indoor



Proven professional quality. Allows quick and safe work without twisting. Perfectly tight and drip-proof. With built-in push button and cable plug.

Material: Aluminium, plastic, PE- Hose

Length / cm	Art. No.
250 (2 x 125)	17003
300 (3 x 100)	17004
400 (4 x 100)	17005
600 (4 x 150)	17006
800 (4 x 200)	17007
1000 (4 x 250)	17008

Padholder*



Pad holder for the QLEEN Indoor System. Stable and durable, quickly replaceable.

Material: Aluminium, PE

Art. No.
17009

* Image similar.

Pad*			
	Replacement pad cover for the QLEEN Indoor System. Durable, high cleaning power. Material: Mikrofibre	Art. No.	
		17010	

Watertank with connection			
	Water tank for the QLEEN Indoor System. For the use of demineralised water.	Art. No.	
		17011	

Crank			
	Joint for the QLEEN Indoor System. Robust, angle individually adjustable. This makes it possible to successfully clean even hard-to-reach areas. Material: Aluminium	Art. No.	
		17012	

Nozzle-holder			
	Nozzle holder for QLEEN Indoor System.	Art. No.	
		17013	


Nozzle-Set			
	Nozzle set with hose and connection for the QLEEN Indoor System.	Art. No.	
		17014	

Control unit			
	Control unit with integrated battery and pump for the QLEEN Indoor System.	Art. No.	
		17015	

Charger*			
	Charger for the QLEEN Indoor System.	Art. No.	
		17016	

Belt bag			
 <p>1. 2. 3.</p>	<p>1. for water tank (QLEEN Indoor System). 2. for electrics (QLEEN Indoor System). 3. for pad covers (QLEEN Indoor System).</p>	Art. No.	
		1.	17017
		2.	17018
		3.	17019

* Image similar.



Brush bow	
Vario	Aluminium joint
Compatible with the poles and brushes from the QLEEN range. Robust and universally applicable. Perfect for cleaning hard-to-reach object areas.	
Joint can be rotated through 180° in 30° steps. Brush holder can be adjusted vertically. 5 power nozzles.	Joint can be rotated through 180°. Brush holder can be adjusted vertically. 2 internal power nozzles for optimised flow rate.
Scope of delivery:	Scope of delivery:
• Brush bow Vario	• Brush bow aluminium joint
Weight: 0,6 kg Material: Aluminium	Weight: 0,4 kg Material: Aluminium
Art. No. 71037	Art. No. 71038

Wash brushes								
Windows			Solar			Facade		
All brushes are suitable for the Vario (71037), aluminium articulated (71038) and special (71039, 71040) brush bend. The brushes are made of robust and durable material and are available in sizes 27, 40 and 60 cm.								
								
For streak-free glass cleaning.			For perfect solar cleaning.			For thorough facade cleaning.		
Scope of delivery: • Window brush			Scope of delivery: • Solar brush			Scope of delivery: • Facade brush		
Bristle thickness: 0,3 mm Bristle length: 40 mm Material: PE, Polyester, white			Bristle thickness: 0,4 mm Bristle length: 40 mm Material: PE, Polyester, red			Bristle thickness: 0,5 mm Bristle length: 40 mm Material: PE, Polyester, blue		
Width	Art.No.		Width	Art.No.		Width	Art.No.	
27 cm	71000		27 cm	71006		27 cm	71003	
40 cm	71001		40 cm	71007		40 cm	71004	
60 cm	71002		60 cm	71008		60 cm	71005	

Brush bow special					
	Compatible with brushes from the QLEEN range. Perfect for efficient cleaning of bus stops and canopies. Brush rotates 90°, joint rotates 180° in 30° steps.			Length	Art.No.
	Scope of delivery: • Brush arch with 5 power nozzles and 2 aluminium joint			160 cm	71039
				60 cm	71040
Weight 60 / 160:		1,0 / 1,2 kg			
Material:		Aluminium			

Angle brush glass and aluminum joint					
<ol style="list-style-type: none">   	Angle brush (1) for easy and thorough glass cleaning. With 2 internal power nozzles for a better spray pattern with less water flow. Fits all QLEEN Poles and LEWI telescopic poles in conjunction with the aluminum joint (2).			Art. No.	
	Scope of delivery: • Angle brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. nozzles • Aluminium-joint			Bürste	71041
				Gelenk	72649
Weight 1 / 2:		0,7 / 0,2 kg			
Material 1 / 2:		PE, PBT, white / Aluminium			

Brush bow special				
<ol style="list-style-type: none">   	1. Pad holder with Vario joint For pad or microfiber covers.			Art.No.
	2. Pad cover			71027
	Scope of delivery: • Pad holder with 3 power nozzles and aluminium joint • Pad cover with Velcro fastener (L x W): 45 x 12 cm			71040
Weight 1 / 2:		0,6 / 0,01 kg		
Material 1 / 2:		Aluminium, plastic, microfibre		




Sustainable and simple.

A phone call is all it takes. We will then send you a refilled mixed bed resin bottle and a return label. Replace the bottle and pack it in the box. Return label on the box and our shipping service provider will then take the bottle back.

We return the used mixed bed resin to the recycling process for reuse.

Only available in Germany.




Bottles



1. **bottle for mixed bed resin 25 l**
incl. screw cap and bottle base
2. **bottle for mixed bed resin 12,5 l**
incl. screw cap and bottle base
3. **bottle base**
4. **bottle cap**

	Art. No.
1.	72504
2.	72505
3.	72506
4.	72507

Bottle head with tube and filter



1. for QLEEN PROF I and II, DISY 2nd generation
2. for QLEEN PURASTART and PURASTART MINI
3. for QLEEN PROF II, DISY 2nd generation until 2021
4. for QLEEN PROF I until 2021
5. for QLEEN DISY Elektro 2nd generation with venting until 2021

	Art. No.
1.	72666
2.	72651
3.	72556
4.	72555
5.	72599

Mixed bed resin (Granulate)



The proven water treatment technology.
For demineralising tap water.

Scope of delivery:

- Mixed bed resin (Granulate)

Quantity	Art. No.
25 l	72502
12,5 l	72503

* Only available in Germany

Single hose



1. Ø 8 mm, maximum 50 m, blue
2. Ø 10 mm, maximum 50 m, blue
3. Ø 10 mm, maximum 50 m, black
4. Ø 9 mm, maximum 100 m, flex,black

Material 1.-3. / 4.: PUR / PVC

	Art.No.	
1.	72677	
2.	72678	
3.	72679	
4.	12106	

Duo hose blue/black



1. 50 m, Ø 8 mm for QLEEN PROFI System until Series-No. 1765/0214
2. 50 m, Ø 10 mm for QLEEN PROFI System and DISY from 2022
3. 40 m, Ø 10 mm - for QLEEN DISY until 2022

Material: PUR

	Art. No.	
1.	72512	
2.	72514	
3.	72595	

Hose connector



1. hose connector with valve, Ø 8 mm
2. hose connector with valve, Ø 10 mm
3. hose connector, Ø 8 mm
4. hose connector, Ø 10 mm
5. hose connector Ø 8 mm up to 10 mm
6. Y-connector, Ø 8 mm
7. Y-connector, Ø 10 mm
8. Y-connector reduce Ø 10 mm to Ø 8 mm

	Art. No.	
1.	72521	
2.	72524	
3.	72522	
4.	72525	
5.	92031	
6.	72523	
7.	72526	
8.	72527	

Hose-Set for PURASTART Mini



For cleaning work with the PURASTART Mini. Very robust and reliable.

Scope of delivery:

- Single hose, Ø 9 mm, length 12.5 m, adapter for bottle head, 6 hose holder clipse

Length	Art. No.	
1250 cm	72643	

Hose reel



- Hose reel for DISY
with fold-down handle and Connections for 50 m DUO hose Ø 10 mm, removable innovating fastening.
1. Hose reel for Profi I- 50 m with fold-down handle and Connections for 50 m DUO-hose Ø 10 mm
 2. Hose reel for Profi I- 100 m with fold-down handle and Connections for 100 m DUO-hose Ø 10 mm
 3. Folding handle for hose reel

Scope of delivery:

- Hose reel with connection for Ø 10 mm Hose or fold-down handle

	Art. No.	
1.	72638	
2.	72612	
3.	72578	
4.	72626	

Handheld meter

	Hand-held meter for checking the water quality .	Art. No.	
		72567	

Enzyme cleaner

	<p>QLEEN Enzyme Cleaner - super concentrate 0,5 kg dose,</p> <p>Can be used wherever large amounts of grease, soot, algae, moss & other organic soiling are a problem.</p> <p>(1 measuring spoon (5g) to 1 Liter water)</p>	Art. No.	
		72529	

Pole and hose holder for PURASTART Mini/Maxi

	<p>Practical pole and hose holder for all PURASTART MINI and MAXI.</p> <p>For parking the telescopic pole during work breaks. With hose rewiner for -easy transport. (Application example on page 36)</p>	Art. No.	
		72685	

Adapter from QLEEN to LEWI

	For use of the LEWI range in conjunction with QLEEN poles.	Art. No.	
		72686	

Warning sign

	Warning sign "Attention danger of slipping. with suspension hook	Art. No.	
		72670	

Replacement remote control

For units to 2013		For devices from 2014 up to 2022		For devices from 2023	
					
Scope of delivery: <ul style="list-style-type: none"> Replacement remote control for devices up to 2013 		Scope of delivery: <ul style="list-style-type: none"> Replacement remote control for devices from 2014 to 2022 		Scope of delivery: <ul style="list-style-type: none"> Replacement remote control for devices from 2023 	
Art. No.		Art. No.		Art. No.	
72553		72554		72574	

Battery and charger QLEEN PROFI systems and QStation

<ol style="list-style-type: none">   	<ol style="list-style-type: none"> Battery 12 V, 50 Ah, Gel - for 24 V systems (2 pieces are needed) Fully automatic charger - for systems from 10/2022, input voltage 110V/230V 	Art. No.		
		1.	72559	
		2.	72561	
* Price for 1 piece				

Diaphragm pumps, 150 PSI

	<ol style="list-style-type: none"> 24 V for QLEEN DISY Elektro, 2nd Generation 24 V for QLEEN PROFI II 24 V for QLEEN PROFI I 12 V for QLEEN PROFI I 	Art. No.		
		1.	72623	
		2.	72624	
		3.	72625	
		4.	72607	

Wing screws

	<ol style="list-style-type: none"> Wing screw G3, Ø 50 mm Wing screw G4, Ø 50 mm Wing screw G4, Ø 42 mm 	Art. No.		
		1.	72518	
		2.	72519	
		3.	72520	

Snap Button

	Replacement snap button for all accessories and bars.	Art. No.	
			10787

Plug-in connections for PVC hose

	<ol style="list-style-type: none"> 1. Anodized aluminum water connection for PVC hose 2. Plug nipple for PVC hose 3. Clamp for push-in connection Ø 12.3 mm 		Art. No.	
		1.	84501	
		2.	72682	
		3.	72683	

Nozzle holder

	Nozzle holder for brush bow and ROTAQLEEN Classic (without nozzle)		Art. No.	
			72547	

Hose connection for nozzle holder

	<ol style="list-style-type: none"> 1. Hose connection with nozzle 0,4 mm 2. Hose connection with nozzle 0,6 mm 3. Hose connection with nozzle 0,8 mm (chemistry) 		Art. No.	
		1.	72537	
		2.	72538	
		3.	72539	

Nozzle + O-Ring

	<ol style="list-style-type: none"> 1. Nozzle 0,3 mm with O-Ring 2. Nozzle 0,4 mm with O-Ring 3. Nozzle 0,6 mm with O-Ring 4. Nozzle 0,8 mm with O-Ring 		Art. No.	
		1.	72598	
		2.	72541	
		3.	72540	
		4.	72542	

Hose connection for brush holder

	<ol style="list-style-type: none"> 1. Hose connection brush 1/8" - Ø 8 mm 2. Connector - socket 1/8" 		Art. No.	
		1.	72549	
		2.	72550	

Claw lock



1. claw coupling with 1/2" external thread
2. replacement seal for claw coupling 3/4".
3. Cap for GK coupling

	Art. No.	
1.	72543	
2.	72544	
3.	72545	

Screw- claw closure and sieve



1. claw coupling screwable with hose nozzle Ø 13 mm
2. replacement seal for claw coupling
3. Sieve for claw coupling
4. claw adapter suitable for Gardena connection

	Art. No.	
1.	72551	
2.	72552	
3.	72557	
4.	72654	

Hose filter



Hose filter with 10 mm plug connector.
The 40 µm filter filters the remaining mixed bed resin behind the bottle and thus protects solenoid valves and nozzles

	Art. No.	
	90053	

All statements without guarantee.
Subject to changes.

All prices (per piece) are subject to VAT.

LEHMANN KG
KRANICHSTRASSE 2A
D-17235 NEUSTRELITZ

TEL +49 (0) 3981 48850
EMAIL INFO@LEWI.DE
WEB WWW.LEHMANN-KG.COM

01 | 2024 - ENGL