


# LEHMANN

GERMAN CLEANING SYSTEMS

01 | 2023 - ENGL

TEL +49 (0) 3981 48850  
EMAIL [INFO@LEWI.DE](mailto:INFO@LEWI.DE)  
WEB [WWW.LEWI.DE](http://WWW.LEWI.DE)

**LEWI**  
PROFESSIONAL TOOLS



LEHMANN KG  
KRANICHSTRASSE 2A  
D-17235 NEUSTRELITZ

**QLEEN**  
PURE WATER CLEANING SYSTEMS





# LEWI.

Proven professional quality for the glass and building cleaner.

For relaxed and safe working.

Under the LEWI product brand, the Lehmann KG has produced sophisticated quality tools for the window and building cleaner for many years.

The proven LEWI philosophy: Versatile and ergonomic components, perfect quality and optimum functionality – at an attractive price.

The reliable and versatile LEWI tools can easily be used in the hand or on the telescope pole.

Thus, even hardly accessible spots can be perfectly and easily cleaned.

The proven LEWI fixation at the handle guarantees safe working at any time.






### **LEWI Bionic. High-quality tools.**

- Ergonomic design
- Safe connection technology
- Versatile components
- Perfect, streak-free cleaning performance
- Safe and fatigueless working

### **LEWI wiper rubber. Top quality.**

- Specially formed and vulcanized
- Flawless wiping thanks to precisely manufactured edges.
- Extremely elastic – slides easily and fast
- Durable and reliable in daily use
- For cleaning free of streaks during all seasons

# LEWI Telescopic poles. Perfect professional solutions.



**Sleeve „Micro fibre“**  
High water absorption and strong cleaning power.



**Sleeve „Blue star“**  
Fabric of PES- & micro fibres. Perfect for large surfaces.




**Sleeve „Power fibre“**  
Fabric of high-quality fibres. Removes encrusted dirt easily.

**Squeegee „Bionic Duo“**  
Window squeegee and washer in one professional system. Practical: wash with one side dry up with the other side.



**Plastic T-bar "BIONIC"**  
Window washer T-bars are high quality and durable.



**Squeegee „Bionic“**  
Complete with rubber an stainless steel channel.



**Pipe brush "Bionic"**  
For cleaning walls and rough surfaces.



**Surface scraper „Bionic“**  
Windows and surface scraper. Very stable. Perfect for the telescopic pole use. With safety cap.



**Water brush**  
Insensitive, durable version with R 1/4" thread.



**Angle joint, aluminium**  
Perfect for cleaning hardly accessible areas. Angle can be freely adjusted.




**Garden tools**  
Effective and quick help. Safe, without ladder use.



**Multifunctional holder**  
For safe painting from the ground. For fastening tools.



- Reliable locking technology with special cone and slide block
- More stable and secure than conventional systems
- No twisting of the pole tools remain firmly secured
- Individual adaptations and special sizes possible



### Sleeve „White Star“




Fabric of high-quality fibres, long-pile.  
For fast cleaning of glass and surfaces.  
Good cleaning power. Easy to wash out by 60°.

**With Velcro fastener**  
**Material: mixed fabric\***

Length / cm	Art.No.	PU
15	10003	10
25	10004	10
35	10005	10
45	10006	10
55	10007	10

### Sleeve „Blue Star“




Blended fabric of PES- & micro fibres,  
long-pile.  
Perfect for large surfaces. High water and  
dirt absorption. Removes encrusted dirt  
easily. Easy to wash out by 60°.

**With Velcro fastener**  
**Material: mixed fabric\*\***

Length / cm	Art.No.	PU
15	10011	10
25	10012	10
35	10013	10
45	10014	10
55	10015	10

### Sleeve „Pad Strip“



Blended fabric of high-quality fibres,  
long-pile.  
An additional pad area that removes  
incrustations and heavy dirt easily. Quick  
and efficient. Easy to wash out by 60°.

**With Velcro fastener**  
**Material: mixed fabric\*\*\***

Length / cm	Art.No.	PU
25	10018	10
35	10019	10
45	10020	10

### Sleeve „Micro fibre“



Micro fibre sleeve.  
High water absorption and strong cleaning  
power. Perfect for large surfaces. Easy to  
wash out by 60°.

**With Velcro fastener**  
**Material: mixed fabric\*\*\***

Length / cm	Art.No.	PU
25	10021	10
35	10022	10
45	10023	10
55	10024	10

\* base material: 100% polyester; fibres: 100% polyacrylic

\*\* base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester

\*\*\*base material: 100% polyester; fibres: 100% polyester

## Sleeve „Power fibre“



Fabric of high-quality fibres, long-pile.  
Perfect for large surfaces. Removes encrusted dirt easily.  
Easy to wash out by 60°.

**With Velcro fastener**

**Material: mixed fabric\*\*\***

Length / cm	Art.No.	PU
25	10025	10
35	10026	10
45	10027	10

## Plastic T-bar „Bionic“



Efficient water chamber system for high water absorption.  
Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.  
With small water chambers.

**Material: two-component plastic**

Length / cm	Art.No.	PU
25	10029	10
35	10030	10
45	10031	10

## T-bar „Bionic“



Ergonomically shaped, always provides safe grip.  
Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

**Material: aluminium, two-component plastic**

Length / cm	Art.No.	PU
15	10032	10
25	10033	10
35	10034	10
45	10035	10
55	10036	10

## T-bar aluminium



Light and stable.  
High-quality processing.  
Reliable during telescopic pole use.

**Material: aluminium, plastic**

Length / cm	Art.No.	PU
15	10037	10
25	10038	10
35	10039	10
45	10040	10
55	10041	10

## T-bar „Bionic“, moveable



Flexible, handle can be individually adjusted for 45 degrees.  
Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

**Material: aluminium, two-component plastic**

Length / cm	Art.No.	PU
35	10042	10
45	10043	10

\*\*\*base material: 100% polyester; fibres: 100% polyester

Complete set „White Star“

	Washer sleeve „White Star“ and aluminium T-bar. <b>With Velcro fastener</b> <b>Material</b> T-bar: aluminium, plastic Sleeve: mixed fabric*	Length / cm	Art.No.	PU
		25	10044	10
		35	10045	10
		45	10046	10

Complete set „Blue Star“

	Washer sleeve „Blue Star“ and aluminium T-bar. <b>With Velcro fastener</b> <b>Material</b> T-bar: aluminium, plastic Sleeve: mixed fabric**	Length / cm	Art.No.	PU
		25	10047	10
		35	10048	10
		45	10049	10

\* base material: 100% polyester; fibres: 100% polyacrylic

\*\* base material: 100% polyester; fibres: 65% polyacrylic, 35% polyester



Our "BIONIC" T-bar lies well and safely in the hand.

The LEWI telescopic pole enables safe work without a ladder - directly from the ground.



## Squeegee „Bionic Duo“



Ergonomically shaped. Squeegee and washer with a professional system. Practical and quick - no exchange needed. Complete with stainless steel channel and washer sleeve „White Star“. Reliable during telescopic pole use.

**Material: two-component plastic, stainless steel, high-quality woven fabric\***

**Rubber quality (hard) shore hardness 60**

Length / cm	Art.No.	PU
25	10500	10
35	10501	10
45	10502	10

## Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

**Material: two-component plastic, stainless steel**

**Rubber quality (hard) shore hardness 60**

Length / cm	Art.No.	PU
15	10504	10
25	10505	10
35	10506	10
45	10507	10
55	10508	10

## Squeegee „Bionic“



Ergonomically shaped. Complete with rubber and stainless steel channel. Easy channel exchange. Lies safely in the hand. For comfortable and fatigue-free working. Perfect for telescopic pole use.

**Material: two-component plastic, stainless steel**

**Rubber quality (soft) shore hardness 53**

Length / cm	Art.No.	PU
15	10509	10
25	10510	10
35	10511	10
45	10512	10
55	10513	10

\* base material: 100% polyester; fibres: 100% polyacrylic

## Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p><b>Material: soft overmoulded rubber, stainless steel</b></p> <p><b>Rubber quality (hard)</b> <b>Shore hardness 60</b></p>	Length / cm	Art.No.	PU
		15	10514	10
		25	10515	10
		35	10516	10
		45	10517	10
		55	10518	10

## Squeegee

	<p>Complete with rubber and stainless steel channel. Solid, durable design. Reliable during telescopic pole use.</p> <p><b>Material: soft overmoulded rubber, stainless steel</b></p> <p><b>Rubber quality (soft)</b> <b>Shore hardness 53</b></p>	Length / cm	Art.No.	PU
		15	10519	10
		25	10520	10
		35	10521	10
		45	10522	10
		55	10523	10



The "BIONIC" squeegees can be easily and safely attached.

A „Fixed Connection“ for almost all LEWI article



## Squeegee handle „Bionic“



Ergonomically shaped, always provides safe grip.  
Fast and easy channel exchange. Extremely reliable, even with telescopic pole use.  
**Material: two-component plastic, stainless steel**

Art.No.	PU
10534	20

## Squeegee handle



Easy handling. Soft grip design.  
Proven in practice. Easy channel exchange. Lies always safely in the hand. Reliable during telescopic pole use.  
**Material: soft overmoulded rubber, stainless steel**

Art.No.	PU
10535	20

## Squeegee handle XXL



Easy handling. Soft grip design.  
1 cm longer as the handle 10535. Proven in practice. Easy channel exchange. Lies always safely in the hand. Reliable during telescopic pole use.  
**Material: soft overmoulded rubber stainless steel**


Art.No.	PU
10536	15

## Squeegee handle „Bionic“, moveable




Ergonomically shaped. Working angle adjustable for 180 degrees.  
Proven in daily operation, stable design, very flexible.  
**Material: two-component plastic**

Art.No.	PU
10537	10



## V-channel



Professional channel of stainless steel with V-cut out.

Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.


**Material: stainless steel**

**Rubber quality (hard)**

**Shore hardness 60 ± 2 \***

Length / cm	Art.No.	PU
15	11000	25
25	11001	25
35	11002	25
45	11003	25
55	11004	25

## V-channel



Professional channel of stainless steel with V-cut out.

Channel positions variably adjustable. Sturdy and stable, always in perfect position. Easy replacement of the rubber.

**Material: stainless steel**

**Rubber quality (soft)**

**Shore hardness 53 ± 2 \*\***

Length / cm	Art.No.	PU
15	11005	25
25	11006	25
35	11007	25
45	11008	25
55	11009	25

## Replacement rubber - HARD



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.

**Rubber quality (hard)**

**Shore hardness 60 ± 2 \***

Length / cm	Art.No.	PU
15	11010	10
25	11011	10
35	11013	10
45	11015	10
55	11016	10
92	11017	10
105	11018	10

## Replacement rubber - SOFT



Proven professional quality. Specifically shaped and vulcanized. Very reliable and durable. For streak-free cleaning use.

**Rubber quality (soft)**

**Shore hardness 53 ± 2 \*\***

Length / cm	Art.No.	PU
15	11019	10
25	11020	10
35	11022	10
45	11024	10
55	11025	10
92	11026	10
105	11027	10

\* Shore-Hardness 60 ± 2 - ideal for smooth surfaces and warmer outside temperatures

\*\* Shore-Hardness 53 ± 2 - ideal for uneven surfaces and colder outside temperatures



## Surface scraper „Bionic“



Ergonomic handle, large scraper surface.  
Windows and surface scraper. Very stable.  
Perfect for the telescopic pole use.  
With safety cap.  
(replacement blades art. no. 11511)  
**Material: two-component plastic**

blade / cm	Art.No.	PU
10	11500	10

## Safety scraper



With 4 cm working surface.  
Safety scraper with retractable blade.  
Handy and very sturdy. Removes paint  
residues and stickers easily. (replacement  
blades art. no. 11512/11513)  
**Material: steel**

blade / cm	Art.No.	PU
4	11501	20

## Safety scraper



With 4 cm working surface.  
Safety scraper with retractable blade.  
Handy and very sturdy. Removes paint  
residues and stickers easily.  
(replacement blades art. no. 11512/11513)  
**Material: steel**  
**Rubberised handle**

blade / cm	Art.No.	PU
4	11502	15

## Surface scraper



More power due to the 25 cm stick.  
With safety cap for higher safety.  
(replacement blades art. no. 11511)  
**Material: plastic, aluminium**

Length / cm	Art.No.	PU
25	11503	5

## Surface scraper



With 120 cm stick for light works.  
Allows comfortable working while standing. With safety cap for higher safety. (replacement blades: art. no. 11511)  
**Material: plastic, aluminium**

Length / cm	Art.No.	PU
120	11504	10


## Glass scraper



With 10 replacement blades in a case.  
Stainless steel blade holder and 10 spare blades in a practical plastic box.  
**Material: stainless steel**

blade / cm	Art.No.	PU
10	11505	10

## Glass scraper



Blade holder 9\*10 cm.  
(replacement blades: art. no. 11509/11510)  
**Material: stainless steel**

blade / cm	Art.No.	PU
10	11506	25


## Blades



Suitable for glass scraper  
(art. no. 11506)  
**25 items with dispenser**


blade / cm	Art.No.	PU
10	11509	10

Blades		blade / cm	Art.No.	PU
	Suitable for glass scraper (art. no. 11506)  <b>In 350 item economy pack</b>	10	<b>11510</b>	1

Blades		blade / cm	Art.No.	PU
	Suitable for window and floor scrapers (art. no. 11500/11503/11504)  <b>Package with 10 items in dispenser</b>	10	<b>11511</b>	10

Blades		blade / cm	Art.No.	PU
	Suitable for safety scraper. (art. no. 11501/11502)  <b>Package with 100 items</b>	4	<b>11512</b>	1

Blades		blade / cm	Art.No.	PU
	Suitable for safety scraper. (art. no. 11501/11502)  <b>5 items in one box</b>	4	<b>11513</b>	10



## Telescopic pole system

	<b>Two-section.</b> High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. <b>Material: aluminium, plastic</b> <b>With safety cone and clamp protection</b>	Length / cm	Art.No.		PU
		120 (2x60)	12000		10
		250 (2x125)	12001		10
		300 (2x150)	12002		10
		400 (2x200)	12003		10
		500 (2x250)	12004		10

## Telescopic pole system

	<b>Three-section.</b> High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. <b>Material: aluminium, plastic</b> <b>With safety cone and clamp protection</b>	Length / cm	Art.No.		PU
		300 (3x100)	12006		10
		450 (3x150)	12007		10
		600 (3x200)	12008		10
		750 (3x250)	12009		4
		900 (3x300)	12010		4

## Telescopic pole system

	<b>Four-section.</b> High-quality processing and very stable. A specifically adjusted sliding block secures against rotation. For safe working without ladder, directly from the ground. <b>Material: aluminium, plastic</b> <b>With safety cone and clamp protection</b>	Length / cm	Art.No.		PU
		400 (4x100)	12011		10
		600 (4x150)	12012		10
		800 (4x200)	12013		10
		1000 (4x250)	12014		4
		1200 (4x300)	12015		4

Order of 10 items sorted each possible

Extension pole		Length / cm	Art.No.	PU
	High-quality processing and very stable. <b>Material: aluminium, plastic</b>	60	12017	10
		120	12018	10

Telescopic pole „Plus“		Length / cm	Art.No.	PU
	Two-section. With additional interior locking. High-quality processing and very stable. <b>Material: aluminium, plastic</b>	200 (2x100)	12019	10
		300 (2x150)	12020	10
		400 (2x200)	12021	10

Angle joint		Art.No.	PU
	For telescopic pole use. Light, freely adjustable joint. Perfect for working on areas that are hard to access. <b>Material: aluminium, plastic</b>	12022	1

Angle joint, aluminium		Art.No.	PU
	For telescopic pole use. Sturdy, perfect for cleaning hardly accessible areas. Angle can be freely adjusted. <b>Material: aluminium</b>	12023	1

Safety cone		Art.No.	PU
	Allows a quick tool exchange. For attaching or screwing tools on the telescopic pole. Ensures optimum hold. <b>Material: plastic</b>	12024	1

Pipe brush "Bionic"		Art.No.	PU	
	Ergonomic handle. For cleaning round surfaces and pipes. Perfect for telescopic pole use. Simply attach to the special cone. <b>Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)</b>	soft (brown)	12025	1
		hard (blue)	12026	1

Wall brush "Bionic", oval shape		Art.No.	PU	
	Ergonomic handle. For cleaning walls and rough surfaces. Perfect for telescopic pole use. Simply attach to the special cone. <b>Material: two-component plastic, mixed hair with 40 % genuine horse hair (soft) / synthetic (hard)</b>	soft (brown)	12027	1
		hard (blue)	12028	1

## Special paint cone



Suitable for all commercial paint rollers.  
For safe painting from the ground.

**Material: plastic**  
**For inserting on telescopic poles**

Art.No.

12029

PU

1

## Adapter for broom



Fits with all commercial brooms.  
Durable brass thread.

**Material: brass**  
**For inserting on telescopic poles**

Art.No.

12030

PU

1

## Adapter for water brushes



Fits with all commercial water brushes.  
With R 1/4" thread.

**Material: brass**  
**For inserting on telescopic poles**

Art.No.

12031

PU

1

## Fixi brush



Cleaning brush made of special fibres.  
Cleans powerfully and reliably.

**Material: wood, special fibre**  
**For inserting on telescopic poles**

Art.No.

12032

PU

1

## Fixi clamp



Aluminium clamp for fastening tools.  
Fastens clothes and sponges safely.

**Material: stainless steel**  
**For inserting on telescopic poles**

Art.No.

12033

PU

1

## Branch cutting set



Pruning saw / pruning shears  
Professional quality.  
with pull cord. (Saw blade 30 cm long).

**For inserting on telescopic poles**

Art.No.

12035

PU

1

## Gardener saw



Bent, with draw hook and branch rejector.  
Professional quality  
For efficient tree care. Safe, without ladder  
use.

**For inserting on telescopic poles**

Art.No.

12036

PU

1

## Apple picker



Sturdy and tearproof.  
For a fast and safe harvest.

**For inserting on telescopic poles**

Art.No.

12037

PU

1



### Water fed pole



With commercial hose connection and R 1/4" thread for water brushes.

Professional version. Very stable and durable. Light and safe to handle. Perfectly leak-proof and non-drip.

**Material: aluminium, brass, plastic**

Length / cm	Art.No.	PU
150	14500	10
200	14501	10

### Water telescopic pole



With commercial hose connection and R 1/4" thread for water brushes. Proven professional quality. Allows quick and safe working without twisting. Perfectly leak-proof and non-drip.

**Material: aluminium, brass thread, plastic, PE hose**  
**With clip lock**

Length / cm	Art.No.	PU
240 ( 2 x 120)	14502	5
400 ( 2 x 200)	14503	5
600 ( 3 x 200)	14504	5
600 ( 4 x 150)	14519	5
800 ( 4 x 200)	14505	5
1000 ( 4 x 250)	14520	4
1200 ( 4 x 300)	14521	4

Order of 5 items sorted each possible

### Angle joint, aluminium



Sturdy joint with bushings for water hose.

Angle can be adjusted individually.

**Material: aluminium**



(You can find the instructions for mounting here, just scan the QR code).

Length / cm	Art.No.	PU
25	14506	1

## Water brush universal

	<p><b>Mixed hair.</b> For sensitive surfaces like motor vehicles and glass. Reliable, durable design. R 1/4" thread. <b>Material: plastic, brass thread, mixed bristles</b></p>	Length / cm	Art.No.	PU
		25	14507	1

## Water brush universal

	<p><b>Synthetic bristles.</b> For floors and terraces. Reliable, durable design. R 1/4" thread. <b>Material: plastic, brass thread, synthetic bristles</b></p>	Length / cm	Art.No.	PU
		25	14508	1

## Water brush

	<p><b>Bristles hard. Professional quality.</b> For floors, facades and stones. Insensible, durable design. R 1/4" thread. <b>Material: plastic, brass thread, synthetic bristles</b></p>	Length / cm	Art.No.	PU
		25	14509	1
		30	14510	1

## Water brush

	<p><b>Bristles soft. Professional quality.</b> For sensitive surfaces like motor vehicles and glass. Insensible, durable design. R 1/4" thread. <b>Material: plastic, brass thread, synthetic bristles</b></p>	Length / cm	Art.No.	PU
		25	14511	1
		30	14512	1

## Water brush „Solar“

	<p><b>Bristles super-soft.</b> Perfect for cleaning sensitive surfaces like solar panel. R 1/4" thread. <b>Material: plastic, brass thread, synthetic bristles (super soft)</b></p>	Length / cm	Art.No.	PU
		25	14513	1

## Chamois leather „Media“

	Quality with tiger stamp. Chamois leather. Tested and proven. 100% natural product. With operation instructions.	Length / cm	Art.No.	PU
		45 x 30 (150)	15000	10
		48 x 33 (175)	15001	10
		52 x 35 (200)	15002	10
		55 x 37 (225)	15003	10
		59 x 38 (250)	15004	10
		62 x 40 (275)	15005	10
		65 x 42 (300)	15006	10
		68 x 43 (325)	15007	10
		70 x 45 (350)	15008	10
	72 x 47 (375)	15009	10	

## Chamois leather „Media“

	Quality with tiger stamp. Chamois leather. Tested and proven. 100% natural product. With operation instructions.	Length / cm	Art.No.	PU
		74 x 49 (400)	15010	10
		77 x 54 (450)	15011	10
		80 x 60 (500)	15012	10
		82 x 63 (550)	15013	10
		85 x 64 (600)	15014	10
	86 x 69 (650)	15015	10	

## Chamois leather „Fina special“

	Best quality with lion stamp. The professional leather. For highest demands. 100% natural product. With operation instruction.	Length / cm	Art.No.	PU
		74 x 49 (400)	15016	10
		77 x 54 (450)	15017	10
		80 x 60 (500)	15018	10
		82 x 63 (550)	15019	10
		85 x 64 (600)	15020	10
	86 x 69 (650)	15021	10	

## Packaging

	Provided with header card/ hanger or packed individual in a poly bag for presentation in merchandise displays or shelves.	Provided with	
		hanger	
		1 pc in poly bag	



## Cleaning set „Solar & winter garden“

Complete basis equipment with stable nylon bag.

Four-section telescopic pole,  
T-bar, sleeves „White Star“ & „Blue Star“,  
safety scraper, spare blades in package with 5 items,  
squeegee 35 cm with channel and rubber, replacement rubber,  
joint with adapter element, 2 joint extensions, bag.

12- piece

Length / cm	Art.No.	PU
400 (4x100)	16501	1
600 (4x150)	16502	1
800 (4x200)	16503	1

## Cleaning set „Glass“

Complete basis equipment with stable nylon bag.

Three-section telescopic pole 3x150 cm,  
squeegee handle, channel of 25, 35, 45 cm each with rubber, replacement  
rubber 25, 35 cm soft,

T-bar 35 cm, sleeves „White Star“ & „Blue Star“,  
safety scraper, spare blades 5 items package,  
joint for telescopic pole,

Box: blade holder & 10 blades, bag.

15- piece

Length / cm	Art.No.	PU
300 (3x100)	16506	1

## LEWI window cleaning set



consisting of:

Bucket, 13 litres, T-bar aluminium 35cm,  
Blue Star Velcro 35 cm, Squeegee „Bionic“  
kompl. 35 cm, replacement rubber 35 cm,  
Microfibre cloth 40x40 cm.

Art.Nr.	PU
16507	1

## LEWI window cleaning set with extension pole



consisting of:

Bucket, 13 litres, T-bar aluminium 35cm,  
Blue Star Velcro 35 cm, Squeegee „Bionic“  
kompl. 35 cm, replacement rubber 35 cm,  
Microfibre cloth and with  
4 part. extension pole- 145 cm.

Art.Nr.	PU
16508	1



### Power Gel

	<p>Window cleaning gel. For best cleaning results.</p>	Quantity	Art.No.	PU
		500 ml	12516	18

### Power Liquid

	<p>Window cleaning fluid. For best cleaning results.</p>	Quantity	Art.No.	PU
		1000 ml	12517	12

### Neoprene gloves

	<p>Glued and double-sewn. The proven glove against cold. Anti-slip surface for a firm grip. <b>Material: neoprene</b></p>		Art.No.	PU
		large	12508	1
		x - large	12509	1

## Gripper



Grabbing without bending.  
For comfortable, safe and hygienic waste removal.

**Material: plastic, aluminium**

Length / cm	Art.No.	PU
40	12502	10
100	12503	10
150	12504	10
200	12505	10


## Gripper, metal design



Grabbing without bending.  
Very stable. For comfortable, safe and hygienic waste removal.  
Rubber coating on the gripper arm for better grip.

**Material: aluminium, stainless steel**

Length / cm	Art.No.	PU
100	12515	10



## Belt



Belt suitable for quiver.

**Material: nylon**  
**With click fastener**

Art.No.	PU
13000	5

## Quiver



For squeegees and washers.  
Suitable for channels up to 45 cm.  
Perfect for working on the ladder  
or in narrow rooms.

**Material: plastic**  
**With Velcro fastener**

Art.No.	PU
13003	5

## Apron



With 3 large pockets.  
Stable and very robust, Belt is size-  
adjustable and can be easily removed.  
**Material: canvas, Nylon**

Art.No.	PU
13004	1

blue



## Bucket, 22 litres

	Suitable for 45 cm washer and squeegee. <b>Material: plastic</b> <b>With mounting hook</b>		Art.No.		PU
		22 l	13500		6
		Lid	13501		1

## Sieve

	Suitable for 22 litre bucket. <b>Material: stainless steel</b>		Art.No.		PU
			13502		1

## Castors

	Suitable for 22 litre bucket. <b>Material: stainless steel</b>		Art.No.		PU
		4 pcs.	13503		1

## Bucket, 13 litres

	Suitable for 35 cm washer and squeegee. Bucket for glass cleaning. Handy and light. <b>Material: plastic</b> <b>With mounting hook</b>		Art.No.		PU
		13 l	13504		10


## Waxer system complete

	With 140 cm pole and sleeve. Waxes floors quickly and easily. <b>Material: aluminium, plastic, mixed fabric*</b>	Length / cm	Art.No.		PU
		140	13506		10

## Replacement sleeve

	For waxing device. With Velcro. <b>Material: mixed fabric*</b>	Length / cm	Art.No.		PU
		40	13505		10

\* base material: 100 % polyester; fibres: 100 % polyacrylic



### Water squeegee



Version for lighter works.  
Dries floors streak-free, cleans joints.  
(suitable for alu handle art. no. 14012)  
**Foam rubber**  
**22 mm intake**

Length / cm	Art.No.	PU
45	14000	10
55	14001	10

### Water squeegee re-inforced



Version for harder works.  
Dries floors streak-free, cleans joints.  
(suitable for alu handle art. no. 14012)  
**Foam rubber**  
**22 mm intake**

Length / cm	Art.No.	PU
45	14002	10
55	14003	10
75	14004	10

### Water squeegee oil resistant



Re-inforced, oil resistant version for harder works.  
Dries floors streak-free, cleans joints.  
(suitable for alu handle art. no. 14012)  
**Foam rubber**  
**22 mm intake**

Length / cm	Art.No.	PU
55	14005	10

### Water squeegee




Version for the hygiene sector.  
Dries floors streak-free, cleans joints.  
(suitable for alu handle art. no. 14010)  
**Plastic with foam rubber**  
**23 mm intake**


Length / cm	Art.No.	PU
45	14006	10
55	14007	10

Tile squeegee		Length / cm	Art.No.	PU
	Version for tile cleaning. Cleans tiles and joints. <b>Foam rubber</b>	35	14008	10

Telescopic mop handle		Length / cm	Art.No.	PU
	2 x 80 cm with adapter cap Ø 23.5 mm. Two-section telescopic pole. High-quality processing, very stable. <b>Material: plastic, aluminium</b>	160	14009	10

Alu handle		Length / cm	Art.No.	PU
	140 cm, with broom thread. High-quality processing, very stable. <b>Material: plastic, aluminium</b> <b>Ø 23 mm</b>	140	14010	25

Mop handle		Length / cm	Art.No.	PU
	140 cm, for mop holder High-quality processing, very stable. <b>Material: plastic, aluminium</b> <b>Ø 23 mm</b>	140	14011	25

Alu handle		Length / cm	Art.No.	PU
	140 cm, for water squeegee. High-quality processing, very stable. <b>Material: plastic, aluminium</b> <b>Ø 22 mm</b>	140	14012	50



### Polishing cloth

	<p>Robust and versatile linen. For polishing and cleaning glass surfaces.</p>	Length / cm	Art.No.	PU
		50 x 70	<b>15500</b>	10

### Microfibre cloth for glass

	<p>Maximum absorption power. High-quality material, durable. 300 g/m<sup>2</sup></p>	Length / cm	Art.No.	PU
		60 x 80	<b>15501</b>	10
		40 x 40	<b>15502</b>	10

### Microfibre cloth

	<p>Washable with up to 60°C. For redrying or repolishing wetly pretreated surfaces. 300 g/m<sup>2</sup> <b>40 x 40 cm</b></p>		Art.No.	PU
		blue	<b>15504</b>	10

### Universal sponge

	<p>In 2 sizes, neutrally packed.</p>	Size / mm	Art.No.	PU
		165 x 110 x 60	<b>15507</b>	162
		180 x 200 x 60	<b>15508</b>	100

## Hand pads



Thick fleece.  
Fleece with high cleaning power.  
**250 x 120 x 20 mm**

	Art.No.	PU
white	<b>15509</b>	25
green	<b>15510</b>	25
black	<b>15511</b>	25

## Pad holder



With handle.

Length / cm	Art.No.	PU
24 x 10	<b>15512</b>	10

## Pad holder



With moveable joint.  
Fits on mop handle 14011.

Length / cm	Art.No.	PU
23 x 10	<b>15513</b>	10



# Product overview

## 1. Washer & T-bars

LEWI washers meet the highest professional demands.

They fit comfortably and safely into the hand, ensuring the right grip even in wet conditions.

## 2. Squeegees & Rubber

LEWI window wipers allow rapid and streak-free working – even on complicated objects. LEWI wiper rubbers convince through first-class quality and durability.

LEWI wiper bars can be exchanged and adjusted easily. They are made of high-quality stainless steel.

Wiper rubber (hard): perfect for smooth surfaces and warmer outdoor temperatures (Shore-hardness =  $60 \pm 2$ ).

Wiper rubber (soft): perfect for uneven surfaces and colder outdoor temperatures (Shore-hardness =  $53 \pm 2$ ).

## 3. Glass scraper & Blades

Stubborn dirt, paint residues or stickers can be easily removed with LEWI glass scrapers. They fit perfectly into the hand and can be operated fast and easily.

The easy exchange of the blades and the protective mechanisms ensure the necessary safety at work.

## 4. Telescopic poles

Perfect for all works carried out from a distance, at height or overhead works. The LEWI telescope pole system enables safe and fast working without ladder directly from the ground. It comprises of high-quality professional telescope poles and a large number of complementary tools + components. These can be clipped on easily and safely. The sophisticated Lehmann connection system with special cone ensures a fixed connection at any time.

A specifically fitted slide block prevents the poles from twisting sideways. Available lengths: up to 12 metres. Special sizes on request.

### Order, packaging and shipment:

- PU 10: Order of 10 items sorted each possible
- PU 4: Order of 4 items sorted each possible
- Packaging costs are charged in case of orders, which are smaller than our packaging units (PU)
- Shipment effected by forwarding agent (Art.No. 12009, 12010, 12014, 12015, 14520, 14521)

## 5. Water fed poles & Water brushes

LEWI water fed poles and water brushes – for thorough cleaning of house walls, winter gardens, solar modules or vehicles. Very robust and extremely durable.

All poles are equipped with R 1/4" threads for accommodating washing brushes and brass adapters for standard hose connections.



## 6. Chamois Leather

LEWI chamois leather for clean windows and surfaces, without streaks and stains. A pure natural product - environmentally friendly, tolerated by the skin, absorbent, easy to clean and antistatic.

## 7. Cleaning sets

Perfect basic equipment for professional cleaning of glass and smooth surfaces:

LEWI set „Glass & window cleaning“

LEWI set „Winter garden & Solar cleaning“

## 8. Accessories

LEWI accessories have been proven in tough professional use. It helps to make daily cleaning works even easier.

## 9. Belt & Quiver

With the quiver or the apron, you have the most important items always at hand and, thus, will be able to work fast and speedy. High-quality materials ensure a long durability.

## 10. Bucket & Waxer

LEWI buckets are functional and perfectly prepared for professional cleaning use.

The rectangular bucket with a capacity of 22 litres allows a complete immersion of up to 45 cm wide cleaning tools.

## 11. Water squeegees & Mop handle

Whether for easier cleaning jobs or industrial use LEWI water squeegees are specialists for perfect floor cleaning.

Depending on the job requirements, water squeegees can be supplied with reinforced pole holders or in different foam rubber qualities.

## 12. LEWI Cloth & Pad sponges

The practical helper for perfect glass cleaning and care. For an easy removal of smaller or larger dirt.

**Proven cleaning system for professionals – versatile, cost effective and safe.**

For 20 years, QLEEN systems have been used successfully all over the world. QLEEN’s easy-connect system modules offer perfect solutions for cleaning glass, building facades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability.

**Better than clean: QLEEN.**

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.

	 PURASTART Mini & Maxi	 PURASTART	 PURASTART E
Operational area	Home	Semi-Professional	Semi-Professional
suitable for cleaning	 Glass/Lamella  Solar	 Glass/Lamella  Solar	 Glass/Lamella  Solar
Cleaning capacity per hour	Up to 50 m <sup>2</sup>	Up to 100 m <sup>2</sup>	Up to 100 m <sup>2</sup>
Water supply	 Water	 Water	 Water  Tank
Power supply	✗	✗	 Akku
Cleaning modes	 Purewater	 Purewater	 Purewater
Connection for rotating brush ROTAQLEEN	✗	✗	
Remote control for up to 50 m	✗	✗	
Hose	12,5 m robust flexible hose	25 m robust flexible hose	25 m hose

\* Depending on equipment variant.

## Cleaning with the power of pure water.

All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, mineral-free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately.

Surfaces cleaned with QLEEN dry themselves, with no stains or stripes. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.

											
DISY			PROFI I			PROFI II			Q-Station		
Professional			Professional			Professional			Professional		
 Glass/Lamella	 Solar	 Facade	 Glass/Lamella	 Solar	 Facade						
Up to 250 m <sup>2</sup>			Up to 250 m <sup>2</sup>			Up to 250 m <sup>2</sup>			Up to 250 m <sup>2</sup>		
 Water	 Tank *		 Water		 Tank						
	 Opt. connection*			 Akku		 Opt. connection*					
 Water	 Water	 detergent*	 Water	 Water	 detergent*						
	 *			 *							
	 *			 *							
50 m single or 50 m DUO-hose *			50 m DUO-hose			50 m DUO-hose			50 m DUO-hose		



**QLEEN PURASTART Mini & PURASTART Maxi base station**



For occasional cleaning of small to medium areas with sustainable Purewater. Carrying handle with integrated meter for Purewater quality. Water supply via the domestic water connection.

**Scope of delivery:**

- QLEEN PURASTART Mini oder QLEEN PURASTART Maxi Basisstation

Weight: 15 kg / 23 kg  
 Dimension: 12,5l: 21 x 21 x 58 cm (L x B x H)  
 25l: 21 x 21 x 113 cm (L x B x H)

	Art. No.
12,5 l	17041
25 l	17049

**QLEEN PURASTART Mini complete set**



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.

**Complete set with all accessories consisting of:**

- QLEEN PURASTART Mini basis station (17041)
- Telescopic HYBRIDPOLE extendable to 540 cm (70534)
- Angle brush glass (71041) with Alu-Crank (72649)
- 12.5 m flexi hose with Gardena connection (72643)

Weight: 17,0 kg

	Art. No.
	70044



## QLEEN PURASTART Base station



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER. Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for purewater quality. Water supply via the domestic water connection.

**Scope of delivery:**

- QLEEN PURASTART Base station

Weight: 45 kg  
Dimension: 38 x 38 x 110 cm (L x B x H)

	Art. No.	
	17042	

## QLEEN PURASTART complete set



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.

**Complete set with all accessories consisting of:**

- QLEEN PURASTART base station (17042)
- Telescopic CARBONPOLE extendable to 900 cm (70518) extendable with 2 CARBONPOLE (accessories|70500)
- Vario brush bow (71037) with 40 cm window brush (71001)

Weight: 50,0 kg

	Art. No.	
	70043	

\* Accessories are not included in the scope of delivery.

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

Manoeuvrable and stable trolley with large wheels for any surface

Water connection via claw coupling, Gardena or supplied suction hose

Compact pump for uniform output pressure at the brush and for suction from a tank or drum



Remote control for controlling the pump and ROTAQLEEN\* at a distance of up to 50 m



Charger included  
Fast charging in maximum 5 hours



Integrated measuring device for Purewater quality

- Powerful Li-Ion battery with 360 Wh, for use up to:  
8 hours with ROTAQLEEN Classic  
4 hours with ROTAQLEEN Vario

25 m flexible hose with stopcock

\* Accessories are not included in the scope of delivery.

## QLEEN PURASTART E Base station



For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.

Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for pure water quality.

Water supply via the domestic water connection or self-priming with the integrated pump.

Connection for all current ROTAQLEEN.

### Scope of delivery:

- QLEEN PURASTART Base station

Weight: 50 kg

Dimension: 38 x 38 x 110 cm (L x B x H)

Art. No.

72101

## Q-Power Akku for PURASTART



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN.

As a replacement battery for the QLEEN PURASTART E or for retrofitting for the current QLEEN PURASTART.

With remote forward/reverse for the ROTAQLEEN.

### Scope of delivery:

- Q-Power battery
- Remote control
- Charger for 110/230 V

Weight: 2,5 kg

Art. No.

With funk

72104






25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

Small wheels for horizontal storage in the car


50 m single or DUO hose\* on removable hose reel

Water connection via claw coupling, Gardena or supplied suction hose\*



Powerful pump\* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump\* for admixing cleaning agents for heavily soiled substrates



\* Depending on equipment variant. Picture shows DISY Elektro DUO. Accessories are not included in the scope of delivery.

## QLEEN DISY Base station



For regular and professional cleaning of medium to large surfaces with sustainable PUREWATER.  
DUO hose system with injector for admixing cleaning agents in case of heavy soiling. (DUO hose version)  
Water supply via the domestic water connection

**Scope of delivery:**

- QLEEN DISY Basisstation

Weight: 72 kg / 73 kg  
Dimensions: 66 x 66 x 110 cm (Lx B x H)

	Art. No.
<b>Einfach-Schlauch</b>	<b>70051</b>
<b>DUO-Schlauch</b>	<b>70052</b>

## QLEEN DISY Elektro Base station



For regular and professional cleaning of large areas with sustainable PUREWATER.  
DUO hose system with adjustable dosing pump for adding cleaning agents in case of heavy soiling. Water supply via the domestic water connection or self-priming with the integrated powerful pump.  
Connection for all current ROTAQLEEN available.

**Scope of delivery:**

- QLEEN DISY E Basisstation

Weight: 80 kg  
Dimensions: 66 x 66 x 110 cm (Lx B x H)

	Art. No.
<b>DUO-Schlauch</b>	<b>70054</b>

## QLEEN DISY Elektro complete set



For regular and professional cleaning of medium to large surfaces with sustainable PUREWATER.  
Complete system to get started immediately.

**Complete set with all accessories consisting of:**

- QLEEN DISY electric base station (70054)
- Pole set for a working height of up to 14.5 m:
  - 5 CARBON POLES (70500),
  - 3 CARBON POLES (70501),
  - 1 half TITAN POLE (70502),
  - 1 Handle for CARBON- and TITANPOLE (72571)
- Vario brush arch (71037) with 40 cm window brush (71001)

Weight: 87 kg

	Art. No.
	<b>70040</b>

## QLEEN PROFI I Base station



For regular and professional cleaning of large areas with sustainable PUREWATER.  
DUO hose system with adjustable dosing pump for adding cleaning agents in case of heavy soiling.  
Water supply via the domestic water connection or self-priming with the integrated powerful pump.  
Independent of the power supply due to built-in high-performance batteries.  
Connection for all current ROTAQLEEN available.

**Scope of delivery:**

- QLEEN PROFI I Base station

Weight: 135,0 kg  
Dimensions: 112 x 54 x 112 cm (L x B x H)

Art. No.

70013

## QLEEN PROFI II Base station



For regular and professional cleaning of large areas with sustainable PUREWATER. The PROFI in a modern design.  
Power supply already integrated. Remaining equipment like the PROFI I.

**Scope of delivery:**

- QLEEN PROFI II Base station

Weight: 140,0 kg  
Dimensions: 115 x 73 x 109 cm (L x B x H)

Art. No.

70037

## QLEEN PROFI I complete set



For regular and professional cleaning of large areas with sustainable PUREWATER.

**Complete set with all accessories consisting of:**

- QLEEN PROFI I base station (70013)
- Pole set for a working height of up to 14.5 m: 5 CARBON POLES (70500), 3 TITAN POLES (70501), 1 half TITAN POLE (70502) and transport bag (72508)
- Vario brush bow (71037) with 40 cm window brush (71001)

Weight: 147,0 kg

Art. No.

70042

## Supplementary bottle



Supplementary bottle for the existing bottle holder on the PROFI I & II.  
Up to 50 % more efficient utilisation of the granulate, by using the used bottle beyond 50 µS as a pre-filter for the new bottle.

**Scope of delivery:**

- Supplementary bottle, granulate, bottle head including mounting accessories

Gewicht: 30,0 kg

Art. No.

72642

## External power supply PROFI I



Power supply for substructure on the PROFI I. For operation on mains voltage without battery.

**Scope of delivery:**

- Power supply including connections

Weight: 5,0 kg

Art. No.

72653

\* Accessories are not included in the scope of delivery.

25 l granulate bottle for 100 percent conversion of tap water into Purewater  
Expandable with second bottle for doubling total Purewater production\*.

Powerful pump\* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum



Measuring device for the water quality alarming and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

Connection for the power supply\* (72653) for permanent operation on the mains supply



With integrated ROTAQLEEN\* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

50 m DUO hose on hose reel

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN\*  
Charger included  
Charging time maximum 12h

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates



Remote control\* for controlling both water channels and ROTAQLEEN\* up to 50 m away (In all electric variants)



50 m DUO hose on hose reel

Connection for the power supply\* (72653) for permanent operation on the mains supply

Powerful pump\* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates

Measuring device for the water quality alarming and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER

With integrated ROTAQLEEN\* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN\*  
Charger included  
Charging time maximum 12h

Remote control\* for controlling both water channels and ROTAQLEEN\* up to 50 m away (In all electric variants)



\* Accessories are not included in the scope of delivery.

## Q-Station Base station



For regular and professional cleaning of large areas with sustainable PUREWATER.  
 For installation in a car or trailer together with a water tank for completely independent cleaning.  
 DUO hose system with adjustable dosing pump for admixing cleaning agents in case of heavy soiling.  
 Water supply via the domestic water connection or self-priming with the integrated powerful pump.  
 Independent of the power supply due to built-in high-performance batteries.  
 Connection for all current ROTAQLEEN available.

**Scope of delivery:**

- QStation Base station

**Weight:** 100,0 kg  
**Dimensions:** 73 x 36 x 103 cm (Lx B x H)

	<b>Art. No.</b>
	<b>72669</b>

## Tank 250 l



Lightweight, stable plastic tank for installation in passenger cars or high-roof station wagons. Flat version with 250 l capacity and integrated surge protection to prevent strong water movements while driving.  
 Integrated beads on the tank to secure it in the vehicle.

**Scope of delivery:**

- Tank 250 l with connections

**Weight:** 22,0 kg  
**Dimensions:** 83 x 110 x 37 cm (B x T x H)

	<b>Art. No.</b>
	<b>72681</b>

## Tank 500 l



Lightweight, stable plastic tank for installation in vans or trailers. Upright version with 500 l capacity and integrated surge protection to prevent strong water movements while driving.  
 Integrated beading on the tank to secure it in the vehicle.  
 Can be combined with a second tank to double the capacity.

**Scope of delivery:**

- Tank 500 l with connections

**Weight:** 34,0 kg  
**Dimensions:** 82 x 100 x 96 cm (B x T x H)

	<b>Art. No.</b>
	<b>72680</b>

## External power supply Q-Station



Power supply for mounting on the Q-Station. For operation on mains voltage without battery.

**Scope of delivery:**

- Power supply including connections

**Weight:** 5,0 kg

	<b>Art. No.</b>
	<b>72653</b>

## For easy work in heights beyond your imagination.

Our wide range of poles extends from lightweight telescopic poles to flexible and lightweight segment poles with innovative and fast bayonet lock for easy assembly and disassembly of the segments. For our poles we use super light and at the same time highly stable carbon. As a cost-effective alternative, we use a special aluminium alloy.

- 5,26 m
- 6,54 m
- 7,66 m
- 9,00 m
- 12,24 m
- 21,63 m

**Teleskop HYBRIDPOLE 5,26 m - Art.No.: 70534**  
 Pole-Material: Glasfaser, Carbon  
 length retracted: 1,62 m  
**Materialstrength: 150 GPa\***  
**Weight: 1,13 kg**



**Teleskop CARBONPOLE 6,54 m - Art.No.: 70535**  
 Pole-Material: Carbon  
 length retracted: 1,63 m  
**Materialstrength: 235 GPa\***  
**Weight: 1,4 kg**



**Teleskop CARBONPOLE 7,66 m - Art.No.: 70536**  
 Pole-Material: Carbon  
 length retracted: 1,87 m  
**Materialstrength: 235 GPa\***  
**Weight: 1,5 kg**



**Teleskop CARBONPOLE 9,00 m - Art.No.: 70518**  
 Pole-Material: Carbon  
 length retracted: 2,04 m  
**Materialstrength: 210 GPa\***  
**Weight: 2,7 kg**

Extendable by 2 Carbon poles to 12 m  
**Weight: 3,88 kg**



**TITANPOLE - Art.No.: 70501**  
 Material: Special aluminum alloy  
 length Segment: 1,63 m  
 Maximum length: 12,24 m (7 Segment + 1 half Segment)  
**Materialstrength: 110 GPa\***  
**Weight: Segment: 0,85 kg**



**CARBONPOLE - Art.No.: 70500**  
 Material: Carbon  
 length Segment: 1,60 m  
 Maximum length: 21,63 m (13 Segment + 1 half Segment)  
**Materialstrength: 360 GPa\***  
**Weight: Segment: 0,59 kg**



\* GPa (Gigapascal) is a unit for tensile strength of the fibre mix..

## Telescop HYBRIDPOLE

	<p>Telescopic pole with 4 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad and slat cleaning device.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Telescopic rod with 4 segments (Ø 30/27/24/21 mm), 4 hose clips and adapter for QLEEN brushes</li> </ul> <p><b>Material:</b> <b>Glas fibre, Carbon</b></p> <p><b>Weight:</b> 1,13 kg</p> <p><b>Length retracted:</b> 162 cm</p>	<b>Length</b>	<b>Art. No.</b>	
		526 cm	70534	

## Telescop CARBONPOLE

	<p>Telescopic pole with 5 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad and slat cleaning device.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Telescopic rod with 5 segments (Ø 33/30/27/24/21 mm), 5 hose clips and adapter for QLEEN brushes</li> </ul> <p><b>Material:</b> <b>Carbon</b></p> <p><b>Weight:</b> 1,4 kg / 1,5 kg</p> <p><b>Length retracted:</b> 163 cm / 186,5 cm</p>	<b>Length</b>	<b>Art. No.</b>	
		654 cm	70535	
		766 cm	70536	

## Telescop CARBONPOLE


	<p>Telescopic pole with 6 segments. Ideal for longer working sessions, can be combined with QLEEN brushes (27/40/60 cm), pad, slat cleaning device and ROTAQLEEN Classic. <b>Extendable with 2 CARBONPOLE poles to 12 m</b></p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Telescopic rod with 6 segments (Ø 42/38/34/30/26/22 mm), 6 hose clips, adapter for QLEEN brushes and bayonet fitting (G4) for extension with CARBONPOLE</li> </ul> <p><b>Material:</b> <b>Carbon</b></p> <p><b>Weight:</b> 2,7 kg,</p> <p><b>Length retracted:</b> 204 cm</p>	<b>Length</b>	<b>Art.No.</b>	
		900 cm	70518	

## CARBONPOLE

	<p>Pole element with force introduction. All-rounder - can be quickly and easily combined with other QLEEN poles, QLEEN brushes (27/40/60 cm), pad, slat, ROTAQLEEN Classic and Vario.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Rod element (Ø 42 mm) with bayonet lock G4 and wing screw</li> </ul> <p><b>Material:</b> <b>Carbon</b></p> <p><b>Weight:</b> 0,59 kg</p>	<b>Length</b>	<b>Art. No.</b>	
		160 cm	70500	

## TITANPOLE

	<p>Pole element with force introduction. All-rounder - can be quickly and easily combined with other QLEEN poles, QLEEN brushes (27/40/60 cm), pad, slat, ROTAQLEEN Classic and Vario</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Rod element (Ø 42 mm) with bayonet lock G4 and wing screw</li> </ul> <p><b>Material:</b> <b>special aluminum alloy</b></p> <p><b>Weight:</b> 0,85 kg / 0,47 kg</p>	<b>Length</b>	<b>Art. No.</b>	
		163 cm	70501	
		80 cm	70502	



Rounded brush ends for window frame corners and protruding edges

Brush width in 40 cm or 60 cm  
White extra soft for glass  
Red soft spliced for solar Blue hard for facade

3 power fan nozzles with wide jet angle for connecting the DUO hose

Low weight of 2.2 kg (40 cm) and 2.8 kg (60 cm) for fatigue-free working

2 powerful 24 V motors

50 m robust cable with push-pull plug for connection to all current DISY electro, PROFI I & II, Q-Station Q-Power or power supply



## ROTAQLEEN Classic (Glass)

	<p>The rotating classic for glass cleaning. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for cleaning corners, niches and window frames.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>ROTAQLEEN Classic with white brush</li> <li>Cable drum with 50m connection cable</li> </ul> <p><b>Weight:</b> 2,2 kg/2,8 kg, <b>Rotation speed:</b> 180 U/min</p>	Width	Art. No.	
		40 cm	72000	
		60 cm	72001	

## ROTAQLEEN Classic (Solar)

	<p>The rotating classic for solar cleaning. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for solar panel.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>ROTAQLEEN Classic with red brush,</li> <li>Cable drum with 50 m connection cable</li> </ul> <p><b>Weight:</b> 2,2 kg/2,8 kg, <b>Rotation speed:</b> 180 U/min</p>	Width	Art. No.	
		40 cm	72004	
		60 cm	72005	

## ROTAQLEEN Classic (Facade)

	<p>The rotating classic for cleaning facades. Brush width: 40 or 60 cm. Driven by two high-performance motors in the brush head. Ideal for cleaning corners, angles and niches in the facade.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>ROTAQLEEN Classic with blue brush,</li> <li>Cable drum with 50 m connection cable</li> <li><b>Weight:</b> 2,2 kg/2,8 kg, <b>Rotation speed:</b> 180 U/min</li> </ul>	Width	Art. No.	
		40 cm	72002	
		60 cm	72003	

## ROTAQLEEN Classic replacement brush set (Glass)


	<p>For professional glass cleaning. The high-quality ROTAQLEEN bristles are durable and very hard-wearing.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Brush head (right and left), Bristle thickness 0,3 mm, bristle length 30mm</li> </ul> <p><b>Material:</b> PE, PBT, white</p>	Width	Art. No.	
		40 cm	72006	
		60 cm	72012	

## ROTAQLEEN Classic replacement brush set (Solar)

	<p>For professional solar cleaning. The red special bristles clean sensitive surfaces gently and reliably.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Brush head (right and left), Bristle thickness 0,4 mm, bristle length 30mm</li> </ul> <p><b>Material:</b> PE, PBT, red</p>	Width	Art. No.	
		40 cm	72010	
		60 cm	72016	

## ROTAQLEEN Classic replacement brush set (Facade)

	<p>For professional facade cleaning. The high quality ROTAQLEEN bristles remove dirt effortlessly even from the smallest interstices.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>Brush head (right and left), Bristle thickness 0,5 mm, bristle length 30mm</li> </ul> <p><b>Material:</b> PE, PBT, blue</p>	Width	Art. No.	
		40 cm	72008	
		60 cm	72014	



Patented Vario joint for easy change of direction of the brush by turning the pole system

Stable splash guard  
4 or 6 power fan nozzles\* with wide spray angle for connecting the DUO hose

Powerful 24 V motor with 150 watt output  
Integrated water cooling for long operating times

Robust and low-maintenance duplex drive chain for power transmission to the brush

Continuous brush in 50 cm or 75 cm\* for large-area cleaning  
White extra soft for glass  
Red soft for solar  
Blue hard for facade

Double ball bearing brush drivers

50 m robust cable with push-pull plug for connection to all current DISY electro, PROFI I & II, Q-Station Q-Power or power supply



\* Depending on variant. Picture shows ROTAQLEEN Vario 50 Solar.

## ROTAQLEEN Vario (Glass)

	<p>Rotating cleaning power for large horizontal glass surfaces. Precise and easy guidance due to patented joint. Brush width: 75 cm or 50 cm Main areas of application: glass roofs, glass domes, movable roof glass constructions, aluminium-glass constructions.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• ROTAQLEEN Vario Glass in 50 cm or 75 cm</li> <li>• 50 m cable drum</li> </ul> <p><b>Weight:</b> 7,6 / 6,5 kg, <b>Rotationspeed:</b> 195 U/min</p>	Width	Art. No.	
		75 cm	72019	
		50 cm	72021	

## ROTAQLEEN Vario (Solar)

	<p>Rotating cleaning power for large solar surfaces. Precise and easy guidance due to patented joint. Brush width: 75 cm or 50 cm Main areas of application Solar: on-roof systems, stand-mounted solar systems.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• ROTAQLEEN Vario Solar in 50 cm or 75cm</li> <li>• 50 m cable drum</li> </ul> <p><b>Weight:</b> 7,6 / 6,5 kg, <b>Rotationspeed:</b> 195 U/min</p>	Width	Art. No.	
		75 cm	72018	
		50 cm	72020	

## ROTAQLEEN Vario (Facade)

	<p>Perfect for facade cleaning applications. Precise and easy guidance due to patented joint. Brush width: 50 cm.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• ROTAQLEEN Vario Facade in 50 cm</li> <li>• 50 m cable drum</li> </ul> <p><b>Weight:</b> 7,6 / 6,5 kg, <b>Rotationspeed:</b> 195 U/min</p>	Width	Art. No.	
		50 cm	72090	

## ROTAQLEEN Vario replacement brushes (Glass)

	<p>For professional glass cleaning. The high-quality ROTAQLEEN bristles are durable and very hard-wearing.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Replacement brush, bristle thickness 0.3 mm, bristle length 30 mm (glass cleaning)</li> </ul> <p><b>Material:</b> PE, Nylon, white</p>	Width	Art. No.	
		50 cm	72025	
		75 cm	72023	

## ROTAQLEEN Vario replacement brushes (Solar)

	<p>For professional solar cleaning. The special red bristles clean sensitive surfaces gently and reliably.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Replacement brush, bristle thickness 0.4 mm, bristle length 30 mm (solar cleaning)</li> </ul> <p><b>Material:</b> PE, PBT, red</p>	Width	Art. No.	
		50 cm	72024	
		75 cm	72022	

## ROTAQLEEN Vario replacement brushes (Facade)

	<p>For professional facade cleaning. The high-quality ROTAQLEEN bristles remove dirt effortlessly even from the smallest gaps.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Replacement brush, bristle thickness 0.5 mm, bristle length 30 mm (facade cleaning)</li> </ul> <p><b>Material:</b> PE, PBT, blue</p>	Width	Art. No.	
		50 cm	72026	



### Q-Power backpack system



For fast and flexible cleaning with our ROTAQLEEN system. Can be used wherever there is no electricity or the surfaces to be cleaned are difficult to access. Suitable for all current ROTAQLEEN.

**Scope of delivery:**

- Q-Power backpack system with manual operation for forward/backward motion
- 10 m connection cable for ROTAQLEEN
- Charger for 100-240 V

**Weight:** 5,5 kg  
**Dimensions:** 70 x 80 x 12 cm (L x B x H)

Art. No.	72100
----------	-------

Q-Power battery for backpack system



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN. As a replacement battery for the Q-Power backpack system.

**Scope of delivery:**

- Q-Power battery
- Charger for 100-240 V

Weight: 2,5 kg

	Art. No.
Without funk	72102

Manual operation for Q-Power battery without remote control



Manual forward/reverse operation for Q-Power battery without remote control (72102)

**Scope of delivery:**

- Q-Power Manual operation

Weight: 0.5 kg

	Art. No.
	72103

Connection cable



Connection cable for ROTAQLEEN to Q-Power battery, in different lengths

**Scope of delivery:**

- connecting cable of the specified length

Weight: 1.2/1.7/2.2 kg

	Art. No.
10 m	72111
15 m	72112
20 m	72113

Backpack



Robust and well padded backpack for durable use

**Scope of delivery:**

- Q-Power Backpack

Weight: 0,7 kg

	Art. No.

Ladegerät



Charger for the Q-Power battery. Charging time maximum 5h.

**Scope of delivery:**

- Charger for 100-240 V output current 3A

Weight: 0,6 kg

	Art. No.

### External power supply



Portable power supply for ROTAQLEEN. Enables ROTAQLEEN use if the QLEEN station used is not electrically equipped or systems from other manufacturers are used. With forward/reverse manually on the power supply or remote control. Suitable for 100-240V input voltage.

- Scope of delivery:**
- Power supply with remote control.

**Weight:** 4,5 kg  
**Dimensions:** 30 x 14 x 14 cm (L x B x H)

	Art. No.	
230V/24V	<b>72078</b>	

### ROTAQLEEN Adapter



Adapter for third-party systems (Ø 26 mm and oval). Benefit from proven ROTAQLEEN cleaning potential and increase the output of used third-party systems up to 250 square meters per hour. Suitable for all QLEEN attachments.

- Scope of delivery:**
- Adapter, suitable for rod systems of other manufacturers (Ø 26 mm / Oval / Unger)

**Material:** Aluminium

	Art. No.	
around	<b>72587</b>	
oval	<b>72684</b>	

### Transport box for ROTAQLEEN Vario 50/75 cm



Padded box for safe transport of the ROTAQLEEN Vario.

- Scope of delivery:**
- Transport box for 50 cm or 75 cm

**Material:** PP  
**Dimensions:** 50 cm: 66,5 x 30,0 x 30,0 cm (L x B x H)  
 75 cm: 89,0 x 30,0 x 30,0 cm (L x B x H)

	Art. No.	
50 cm	<b>88858</b>	
75 cm	<b>86729</b>	

### Transport box for ROTAQLEEN Classic 40/60 cm



Padded box for safe transport of the ROTAQLEEN Classic.


- Scope of delivery:**
- Transport box for 40 cm or 60 cm

**Material:** PP  
**Dimensions:** 64,0 x 43,0 x 15,5 cm (L x B x H)

	Art. No.	
	<b>86728</b>	

\*Price net

**Application example ROTAQLEEN adapter for third-party systems (Art. No. 72587).**



**ROTAQLEEN ADAPTER**  
 Article number 72587

## Cable drum ROTAQLEEN

	<b>Cable drum for ROTAQLEEN</b> With 50 m cable and push-pull connectors for 24 V  <b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>Cabel drum with 50 m connection cable</li> </ul> Weight: 6,5 kg	Art. No.	
		72565	

## Adapter cable for connecting older ROTAQLEEN to current machines

<ol style="list-style-type: none"> <li>  </li> <li>  </li> </ol>	Adapter cable for a 24 V ROTAQLEEN before year of manufacture 01/2023 for connection to all machines from year of manufacture 01/2023 with push-pull socket  <ol style="list-style-type: none"> <li>Adapter cable to connect a ROTAQLEEN from year of manufacture 01/2018 to 12/2022 to a machine from year of manufacture 01/2023</li> <li>Adapter cable to connect a ROTAQLEEN from year of manufacture 01/2014 to 12/2017 to a machine from year of manufacture 01/2023</li> </ol> <b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>Adapterkabel</li> </ul> Weight: 0,2 kg	Art. No.	
		1.	72091
		2.	72093

## Adapter cable for connecting current ROTAQLEEN to older machines

<ol style="list-style-type: none"> <li>  </li> <li>  </li> </ol>	Adapter cable for all 24 V ROTAQLEEN with push-pull plug from year of manufacture 01/2023 to connect to a machine before year of manufacture 01/2023  <ol style="list-style-type: none"> <li>Adapter cable to connecting a ROTAQLEEN from year of manufacture 01/2023 to a machine from year of manufacture 01/2018 to 12/2022</li> <li>Adapter cable to connect a ROTAQLEEN from year of manufacture 01/2023 a machine from year of manufacture 01/2014 bis 12/2017</li> </ol> <b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>Adapter cable</li> </ul> Weight: 0,2 kg	Art. No.	
		1.	72092
		2.	72094

### Connections on the machine



Year of manufacture 01/2018 until 12/2022  
**Adapter 72092**



Year of manufacture 01/2014 bis 12/2017  
**Adapter 72094**

### Connections on the ROTAQLEEN



Year of manufacture 01/2018 until 12/2022  
**Adapter 72091**






Year of manufacture 01/2014 bis 12/2017  
**Adapter 72093**

4 brush holders for all common  
slat spacings of 50/100 mm, 60  
mm, 70 mm and 80 mm

Brush holder and handle together  
weigh only 1.2 kg for fatigue-free  
and long working hours

Transport box for quick and easy  
storage of all lamella cleaner  
parts



4 power fan nozzles with  
wide beam angle

Accessories for changing the  
nozzles Gardena connection for  
the domestic water connection


Grip piece with stopcock integrated  
Vario joint for flexible QLEEN pole or  
LEWI telescopic pole




## Complet set

	<p>Perfect choice for slat spacing from 50 to 100mm</p> <p><b>Complete set consisting off:</b></p> <ul style="list-style-type: none"> <li>• Brush holder for 50/100 cm, 60 cm, 70 cm and 80 cm slat spacing</li> <li>• Nozzle set with mounting accessories and tools</li> <li>• Handle with Vario joint and</li> <li>• Transport box</li> </ul> <p>Weight: 4,5 kg Dimensions: 57 x 28 x 28 cm (Lx B x H)</p>		Art. No.	
		Set	71500	


## Brush holder and brush

	<p>Perfect choice for slat spacing of 80 mm.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Single brush or brush holder for 80 mm slat spacing</li> </ul> <p>Brush diameter: 85 mm Number of brush holder: 5 brushes</p>		Art. No.	
		holder	71503	
		repl. brush	71504	


## Brush holder and brush

	<p>Perfect choice for slat spacing of 70 mm.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Single brush or brush holder for 70 mm slat spacing</li> </ul> <p>Brush diameter: 75 mm Number of brush holder: 6 brushes</p>		Art. No.	
		holder	71505	
		repl. brush	71506	

## Brush holder and brush

	<p>Perfect choice for slat spacing of 60 mm.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Single brush or brush holder for 60 mm slat spacing</li> </ul> <p>Brush diameter: 65 mm Number of brush holder: 6 brushes</p>		Art. No.	
		holder	71507	
		repl. brush	71508	

## Brush holder and brush

	<p>Perfect choice for slat spacing of 50 mm and 100 mm.</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Single brush or brush holder for 50 and 100mm slat spacing</li> </ul> <p>Brush diameter: 55 mm Number of brush holder: 8 brushes</p>		Art. No.	
		holder	71509	
		repl. brush	71510	

## Handle piece for flap brush holder

<p>1. </p> <p>2. </p>	<p>Handle with Vario joint, nozzles for finned brush holder and stopcock</p> <p><b>Scope of delivery:</b></p> <ul style="list-style-type: none"> <li>• Handle with stopcock (1.)</li> <li>• Nozzle set (2.)</li> </ul>		Art. No.	
		1.	71525	
		2.	71526	
		Set	71502	



## QLEEN Indoor System



Quick cleaning of hard-to-reach surfaces. Streak-free drying due to demineralised water.

**Complete professional interior cleaning system with:**

Control unit with bag, 5 spare pads with bag, Water tank with bag, joint with pad holder, belt, charger


**Weight:** 2,9 kg

System without rod! Operation only in conjunction with water telescopic rod for indoor. Below you can choose a suitable rod for yourself:

Art. No.

17048

## Water telescopic pole - only for QLEEN Indoor



Proven professional quality. Allows quick and safe work without twisting. Perfectly tight and drip-proof. With built-in push button and cable plug.

**Material:** Aluminium, plastic, PE- Hose

Length / cm Art. No.

250 (2 x 125) 17003

300 (3 x 100) 17004

400 (4 x 100) 17005

600 (4 x 150) 17006

800 (4 x 200) 17007

1000 (4 x 250) 17008

## Padholder



Pad holder for the QLEEN Indoor System. Stable and durable, quickly replaceable.

**Material:** Aluminium, PE

Art. No.

17009

Pad		
	Replacement pad cover for the QLEEN Indoor System. Durable, high cleaning power. <b>Material:</b> Mikrofibre	Art. No.
		17010

Watertank with connection		
	Water tank for the QLEEN Indoor System. For the use of demineralised water.	Art. No.
		17011

Crank		
	Joint for the QLEEN Indoor System. Robust, angle individually adjustable. This makes it possible to successfully clean even hard-to-reach areas. <b>Material:</b> Aluminium	Art. No.
		17012


Nozzle-holder		
	Nozzle holder for QLEEN Indoor System.	Art. No.
		17013

Nozzle-Set		
	Nozzle set with hose and connection for the QLEEN Indoor System.	Art. No.
		17014

Control unit		
	Control unit with integrated battery and pump for the QLEEN Indoor System.	Art. No.
		17015

Charger		
	Charger for the QLEEN Indoor System.	Art. No.
		17016

Belt bag		
	1. for water tank (QLEEN Indoor System). 2. for electrics (QLEEN Indoor System). 3. for pad covers (QLEEN Indoor System).	Art. No.
		17017
		17018
		17019



Brush bow VARIO



Compatible with the poles and brushes from the QLEEN range. Robust and universally applicable. Perfect for cleaning hard-to-reach object areas. Joint can be rotated 180° in 30° steps. Brush holder vertically adjustable.


Scope of delivery:

- Brush arch with 5 power nozzles and Vario joint

**Material:** Aluminium

	Art. No.	
	71037	

Brush bow special



Compatible with brushes from the QLEEN range. Perfect for efficient cleaning of bus stops and canopies. Brush rotates 90°, joint rotates 180° in 30° steps.

Scope of delivery:

- Brush arch with 5 power nozzles and 2 aluminium joint

**Material:** Aluminium

	Length	Art. No.	
	160 cm	71039	
	60 cm	71040	

## Brush bow aluminum-joint



The inexpensive alternative to the Vario brush bow. With two internal power nozzles for a better spray pattern with less water flow. Suitable for all QLEEN brushes (except angle brush), QLEEN poles and LEWI telescopic poles. Not suitable for Duo hose

**Scope of delivery:**

- aluminium-joint

**Material: Aluminium**

Art. No.

71038

## Window brush



For streak-free glass cleaning.

**Scope of delivery:**

- Scope of delivery:- Window brush, bristle thickness 0.3 mm, bristle length 40 mm

**Material: PE, Polyester, white**

Length

Art. No.

27 cm

71000

40 cm

71001

60 cm

71002

## Solar brush



For streak free solar cleaning.

**Scope of delivery:**

- Solar brush, bristle thickness 0.4 mm, bristle length 40 mm, spliced

**Material: PE, PBT, red**

Length

Art. No.

27 cm

71006

40 cm

71007

60 cm

71008

## Facade brush



For thorough facade cleaning.

**Scope of delivery:**

- facade brush, bristle thickness 0,5 mm, bristle length 40 mm

**Material: PE, Nylon, blue**

Length

Art. No.

27 cm

71003


40 cm

71004

60 cm

71005

## Angle brush glass and aluminum joint



Angle brush (1) for easy and thorough glass cleaning. With 2 internal power nozzles for a better spray pattern with less water flow. Fits all QLEEN Poles and LEWI telescopic poles in conjunction with the aluminum joint (2).

**Scope of delivery:**

- Angle brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. nozzles
- Aluminium-joint

**Material: PE, PBT, white**

brush

Art. No.

71041

joint

72649

## Padholder / Pad



1. Pad holder with Vario joint

For pad or microfiber covers.

**Scope of delivery:**

- Pad holder with 3 power nozzles and alu-joint

2. Pad cover

**Scope of delivery:**

- Pad cover with Velcro (L x W): 45 x 12 cm

**Material: aluminum, plastic, microfiber**

1.

Art. No.

71027

2.

71031




**Sustainable and simple.**

A phone call is all it takes. We will then send you a refilled granulate bottle and a return label. Replace the bottle and pack it in the box. Return label on the box and our shipping service provider will then take the bottle back.

We return the used granulate to the recycling process for reuse .

Only available in Germany.



**Bottles**

	1. <b>bottle for mixed bed resin 25 l</b> incl. screw cap and bottle base		Art. No.	
	2. <b>bottle for mixed bed resin 12,5 l</b> incl. screw cap and bottle base. base	1.	72504	
	3. <b>bottle base</b>	2.	72505	
	4. <b>bottle cap</b>	3.	72506	
		4.	72507	

**Bottle head with tube and filter**

	1. for QLEEN PROF I and II, DISY 2. generation		Art. No.	
	2. for QLEEN PURASTART and PURASTART MINI	1.	72666	
	3. for QLEEN PROF II, DISY 2. generation until 2021	2.	72651	
	4. for QLEEN PROF I until 2021	3.	72556	
	5. for QLEEN DISY Elektro 2nd Generation with venting until 2021	4.	72555	
		5.	72599	

**Mixed bed resin (Granulate)**

	The proven water treatment technology. For demineralising tap water.  <b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>Mixed bed resin (Granulate)</li> </ul>	Quantity	Art. No.	
		25 l	72502	
		12,5 l	72503	

\* Only available in Germany

Bag			Art. No.	
	For safe storage and transport. Bag for 14 QLEEN poles + 1/2 pole	Tasche	72508	
	<b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>• Bag for QLEEN Poles (without poles)</li> </ul> <b>Weight:</b> <b>0,75 kg</b>			

Adapter for pole system			Art. No.	
	1. adapter for rod systems G3 to G4 2. adapter for rod systems G4 to G3	1.	70511	
	<b>Material:</b> <b>Spezielle Aluminiumlegierung</b>	2.	70512	

Handle		Length	Art. No.	
	Suitable for CARBON- and TITANPOLE G4 as well as telescopic CARBON POLE with 6 segments (Art. No.: 70518)	15 cm	72571	
	<b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>• Handle with wing screw, bayonet lock G4</li> </ul> <b>Material:</b> <b>Aluminium</b> <b>Weight:</b> <b>0,12 kg</b>			

Solar-sliding shoe		Ø	Art. No.	
	Suitable for CARBON- and TITANPOLE G4 as well as telescopic CARBON POLE with 6 segments (Art. No.: 70518)	42 mm	72040	
	<b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>• Handle with wing screw, bayonet lock G4</li> </ul> <b>Material:</b> <b>Aluminium</b> <b>Weight:</b> <b>0,12 kg</b>			

Adapter for brush bow			Art. No.	
	For QLEEN poles with bayonet lock G4 Ensures a firm and secure connection between QLEEN brush bow and QLEEN poles.		72516	
	<b>Scope of delivery:</b> <ul style="list-style-type: none"> <li>• Adapter, suitable for QLEEN poles (Ø 42 and 50 mm) with bayonet lock G4</li> </ul> <b>Material:</b> <b>Aluminium anodised</b>			

Snap Button			Art. No.	
	Replacement snap button for all accessories and bars		10763	
	<b>Material:</b> <b>Spring steel</b>			

### Single hose

	1.	Ø 8 mm, maximum 50 m, blue		Art. No.	
	2.	Ø 10 mm, maximum 50 m, blue	1.	72677	
	3.	Ø 10 mm, maximum 50 m, black	2.	72678	
	4.	Ø 9 mm, maximum 100 m, flex,black	3.	72679	
			4.	12106	
<b>Material:</b>		<b>PUR (1.-3.), PVC (4.)</b>			

### Duo hose blue/black

	1.	50 m, Ø 8 mm for QLEEN PROFI System until Series-No. 1765/0214		Art. No.	
	2.	50 m, Ø 10 mm for QLEEN PROFI System and DISY from 2022	1.	72512	
	3.	40 m, Ø 10 mm - for QLEEN DISY until 2022	2.	72514	
			3.	72595	
<b>Material:</b>		<b>PUR</b>			

### Hose connector

 <p>1./2.</p> <p>3./4./5.</p> <p>6./7./8.</p>	1.	hose connector with valve, Ø 8 mm		Art. No.	
	2.	hose connector with valve, Ø 10 mm	1.	72521	
	3.	hose connector, Ø 8 mm	2.	72524	
	4.	hose connector, Ø 10 mm	3.	72522	
	5.	hose connector Ø 8 mm up to 10 mm	4.	72525	
	6.	Y-connector, Ø 8 mm	5.	92031	
	7.	Y-connector, Ø 10 mm	6.	72523	
	8.	Y-connector reduce Ø 10 mm to Ø 8 mm	7.	72526	
			8.	72527	

### Hose-Set for PURASTART Mini

	For cleaning work with the PURASTART Mini. Very robust and reliable.		Length	Art. No.	
	<b>Scope of delivery:</b>		1250 cm	72643	
	<ul style="list-style-type: none"> <li>Single hose, Ø 9 mm, length 12.5 m, adapter for bottle head, 6 hose holder clipse</li> </ul>				
<b>Material:</b>		<b>PVC with fabric lining</b>			

### Hose reel

 <p>1. -3.</p> <p>4.</p>	1.	Hose reel for DISY with fold-down handle and Connections for 50 m DUO hose Ø 10 mm removable innovating fastening		Art. No.	
	Hose reel for Profi I- 50 m with fold-down handle and Connections for 50 m DUO-hose Ø 10 mm		1.	72638	
	2. Hose reel for Profi I- 100 m with fold-down handle and Connections for 100 m DUO-hose Ø 10 mm		2.	72612	
	3. Folding handle for hose reel		3.	72578	
			4.	72570	
<b>Scope of delivery:</b>		<ul style="list-style-type: none"> <li>Hose reel with connection for Ø 10 mmHose or fold-down handle</li> </ul>			
<b>Material:</b>		<b>glasfibre and PVC</b>			
<b>Dimensions:</b>		<b>41 x 30 x 34 cm (L x B x H)</b>			

## Plug-in connections for PVC hose

	1. Anodized aluminum water connection for PVC hose		Art. No.	
	2. Plug nipple for PVC hose	1.	84501	
	3. Clamp for push-in connection Ø 12.3 mm	2.	72682	
		3.	72683	

## Nozzle holder

	Nozzle holder for brush bow and ROTAQLEEN Classic (without nozzle)		Art. No.	
			72547	

## Hose connection for nozzle holder

	1. Hose connection with nozzle 0,4 mm		Art. No.	
	2. Hose connection with nozzle 0,6 mm	1.	72537	
	3. Hose connection with nozzle 0,8 mm (chemistry)	2.	72538	
		3.	72539	


## Nozzle + O-Ring

	1. Nozzle 0,3 mm with O-Ring		Art. No.	
	2. Nozzle 0,4 mm with O-Ring	1.	72598	
	3. Nozzle 0,6 mm with O-Ring	2.	72541	
	4. Nozzle 0,8 mm with O-Ring	3.	72540	
		4.	72542	

## Claw lock

	1. claw coupling with 1/2" external thread		Art. No.	
	2. replacement seal for claw coupling 3/4".	1.	72543	
	3. Cap for GK couplin	2.	72544	
		3.	72545	

## Screw- claw closure and sieve

	1. claw coupling screwable with hose nozzle Ø 13 mm		Art. No.	
	2. replacement seal for claw coupling	1.	72551	
	3. Sieve for claw coupling	2.	72552	
	4. claw adapter suitable for Gardena connection	3.	72557	
		4.	72654	

## Hose connection for brush holder

	1. Hose connection brush 1/8" - Ø 8 mm		Art. No.	
	2. Connector - socket 1/8"	1.	72549	
		2.	72550	

## Pressure reducer

	Inlet up to 15 bar, outlet adjustable from 2.5 - 5 bar and 2 claw couplings 1/2". For PROF I and DISY Elektro 2nd generation		Art. No.	
			72546	

### Replacement remote control

	<ol style="list-style-type: none"> <li>For units up to 2023</li> <li>For units from 2014 up to 2022</li> <li>For units up to 2013</li> </ol>		Art. No.	
		1.	72574	
		2.	72554	
		3.	72553	

### Battery and charger QLEEN PROFI systems and QStation

	<ol style="list-style-type: none"> <li>Battery 12 V, 50 Ah, Gel - for 24 V systems (2 pieces are needed)</li> <li>Fully automatic charger - for systems from 10/2022, input voltage 110V/230V</li> </ol>		Art. No.	
		1.	72559	
		2.	72561	

\* Price for 1 piece

### Dosing pump head + vent tap

	<ol style="list-style-type: none"> <li>Dosing pump head</li> <li>Vent tap</li> </ol>		Art. No.	
		1.	72672	
		2.	72652	

### Diaphragm pumps, 150 PSI

	<ol style="list-style-type: none"> <li>24 V for QLEEN DISY Elektro, 2. Generation</li> <li>24 V for QLEEN PROFI II</li> <li>24 V for QLEEN PROFI I</li> <li>12 V for QLEEN PROFI I</li> </ol>		Art. No.	
		1.	72623	
		2.	72624	
		3.	72625	
		4.	72607	

### Magnet valve

	magnet valve 24 V with connections		Art. No.	
		1.	140843	
		2.	146028	

## Pole and hose holder for PURASTART Mini/Maxi



Practical pole and hose holder for all PURASTART MINI and MAXI.

For parking the telescopic pole during work breaks. With hose re-winder for -easy transport. (Application example on page 36)

**Material:** Aluminium

Art.-Nr.

72685

## Handheld meter



Hand-held meter for checking the water quality

Art. No.

72567

## Adapter from QLEEN to LEWI



For use of the LEWI range in conjunction with QLEEN poles.

**Material:** Aluminium

Art. No.

72686

## Wing screws



1. Wing screw G3, Ø 50 mm
2. Wing screw G4, Ø 50 mm
3. Wing screw G4, Ø 42 mm

Art. No.

1. 72518

2. 72519

3. 72520

## Enzym cleaner



QLEEN Enzyme Cleaner - **super concentrate** 0,5 kg dose, 1 measuring spoon (5g) to 1 liter water

Can be used wherever large amounts of grease, soot, algae, moss & other organic soiling are a problem.

Art. No.

72529

## Warning sign



Warning sign "Attention danger of slipping with suspension hook

Art. No.

72670

All statements without guarantee.  
Subject to changes.

All prices (per piece) are exclusive VAT.

LEHMANN KG  
KRANICHSTRASSE 2A  
D-17235 NEUSTRELITZ

TEL +49 (0) 3981 48850  
EMAIL [INFO@LEWI.DE](mailto:INFO@LEWI.DE)  
WEB [WWW.LEWI.DE](http://WWW.LEWI.DE)

02 | 2023 - ENGL